



2023 EXTERIOR IMPACT CATALOG

BHIDoors

bhiflorida.com

Quality components create the total package.

BHI Doors is a collection of best-in-class components (doors, doorglass, frames, astragals, weather seals, thresholds, locksets, and hardware) used to create entry systems with enduring good looks and superior performance. The majority of our door systems are tested to the HVHZ (High Velocity Hurricane Zone) standards, the most stringent hurricane codes anywhere in the United States. Most BHI Door Systems meet the minimum Florida Energy code.

Great craftsmanship, beautiful glass patterns, multiple finish hardware options, superior construction, and energy-saving features all come together in a wide range of entry systems that enhance the value of your home and add beauty to everyday living.

BHI Doors Commitment




All products featured are in stock ready to be built unless marked special order.

Unless otherwise noted, all products featured can be built into door systems that are compliant with hurricane structural, hurricane impact and the latest energy codes.

BHI Doors continues our commitment to service excellence as we bring enduring beauty and value to exterior doors throughout Florida. – Established in 1954.



THE BHI SYSTEM



Add beauty to and increase the value of your home with ODL's innovative line of doorglass.



FIBERGLASS DOORS AND PF FRAMES™

A lifetime of exceptional durability and performance for every door around your home.



CUSTOM GLASS

Custom glass for doors, sidelites, windows and transoms.



VENTILATING DOORS

Let in the breeze without compromising security with an optional window insert in your door (with a security screen).



THRESHOLDS & ASTRAGALS

For additional security and weather protection our systems use DLP thresholds and astragals.



RESIDENTIAL LOCKSETS

Superior functionality and long lasting beauty.



RESIDENTIAL HARDWARE

Easy installation and secure performance.

TRILENNIUM™ MULTI-POINT LOCKS

The ultimate fiberglass door security system. Multiple latches and bolts prevent forced entry and create additional weather sealing.



DOOR ACCESSORIES

Give your door more character by adding speakeasies, dentil shelves, or clavos.

BHI Weather-seals

Keep cool air in and keep bugs out while benefiting from improved energy efficiency.

ETCHED GLASS

A unique line of doorglass inserts styled for Florida living. Etched glass displays traditional sandblasting.

BHI Hinges

Specially designed for high-performance and tested for long lasting endurance.

BHI STANDARDS

Sustainability

Your BHI Entry System will be built to stand the test of time in Florida's often unforgiving climate. We strive to use as many Eco-Friendly and Energy Efficient components as possible to preserve the environment and help lower your energy bills.

- Entirely Composite Frames
- Insulated Fiberglass Doors
- High Quality Weatherstripping
- Low-E & Turtle Glass Options

Accessibility

Your BHI Entry System can be designed to help you and your loved ones easily access it. We carry multiple A.D.A. compliant components and hardware options specifically designed with ease of use in mind.

- A.D.A. Slabs, Glass, & Hardware
- Ball Bearing Hinges
- Spring Hinges
- Code Approved Pet Doors

Security

The same added strength that helps Impact products protect your home from hurricanes, can also help protect your home from intrusion. In addition, your BHI Entry System has many other component and hardware options designed to give you peace of mind.

- Impact Slabs & Glass
- Multi-point Locking Systems
- Touchscreen Deadbolts
- Privacy Glass

Appeal

Enhance the beauty of your home with our wide variety of Art Glass options from 5 different design families. Whatever your home's aesthetic is, we've got the Entry System you need to make an even bigger impression.

- Camed & Etched Glass
- Multiple Texture Options
- Multiple Glass Frames
- Paintable/Stainable Components

* While BHI stocks components needed to build many of the Door Units shown in this catalog, not all combinations of options are available in all Unit Widths. Most Door Unit Builds that appear in this catalog can be built in either Woodgrain or Smooth skin type Systems; however, there are some that will only come in the Skin Type shown in the catalog for certain Door Unit Widths. For more information, consult the availability guide in the back of the book.



Table of Contents



DESIGN IDEAS P. 6-10
Coastal, Contemporary, Craftsman, Classic, & Caribbean

CUSTOM GLASS P. 11-13
Doorglass, Transoms & Windows

DECORATIVE

| | |
|-------------------------------|----------|
| Blanca | P. 16 |
| Bristol | P. 17 |
| Cadence | P. 18 |
| Camden | P. 19 |
| Celebration Ocean NEW! | P. 20 |
| Chinchilla | P. 21 |
| Crosswalk | P. 22 |
| Dorian NEW! | P. 23 |
| Entropy | P. 24 |
| Grace | P. 25 |
| Heirlooms | P. 26 |
| Jacinto | P. 27 |
| Linen | P. 28 |
| Majestic | P. 29 |
| Micro-Granite | P. 30 |
| Mistify Black | P. 31 |
| Mistify White NEW! | P. 32 |
| Mohave | P. 33 |
| Park Place | P. 34 |
| Rain | P. 35 |
| Renewed Impressions | P. 36 |
| Streamed | P. 37 |
| Topaz | P. 38 |
| Waterside | P. 39 |
| Etched Glass | P. 40 |
| Simulated Divided Lites | P. 41-43 |
| Nova 90 Direct Glazed | P. 44-45 |

AROUND THE HOME

| | |
|-----------------------------|----------|
| Blink Enclosed Blinds | P. 48-49 |
| Grilles Between Glass (GBG) | P. 50-51 |
| One Lites | P. 52-53 |
| Turtle Glass | P. 54 |
| Ventilating Doors | P. 55 |
| Insulated Pet Doors | P. 56-57 |

SOLID FIBERGLASS

| | |
|--------------------|----------|
| Rustic | P. 59 |
| Modern | P. 60 |
| Shaker | P. 61 |
| Woodgrain Textured | P. 62-63 |
| Smooth Skin | P. 64-67 |

HARDWARE

| | |
|----------------------|----------|
| Multi-Point Locksets | P. 69-70 |
| Standard Locksets | P. 71-73 |
| Viewers | P. 73 |
| Privacy Latches | P. 73 |
| Kick Plates | P. 74 |
| Stops | P. 74 |

SELECTION OVERVIEW

| | |
|---------------------------|----------|
| Hurricane Code Compliance | P. 76-77 |
| Energy & Label Compliance | P. 78-79 |
| Standard Features | P. 80-81 |

COMPONENTS

| | |
|------------------------|-------|
| Door Frames & Moldings | P. 82 |
| Brick Mold Trim | P. 83 |
| Aluminum Astragals | P. 84 |
| Aluminum Thresholds | P. 85 |
| Weather Seals | |
| Hinges | P. 86 |

AVAILABILITY GUIDE

| | |
|--------------------|----------|
| Availability Guide | P. 88-95 |
|--------------------|----------|

DESIGN IDEAS

DESIGN IDEAS



COASTAL

The Coastal home style is relaxing, light, and breezy. Its open design and lighter tones mirror the natural beauty of the shoreline.



CONTEMPORARY

Contemporary homes reflect the architecture and design of today. They represent sharp design and clean curb appeal.

| | | | | | |
|--|--|--|--|--|--|
| | | | | | |
| | | | | | |
| | | | | | |




















CRAFTSMAN

CLASSIC

Craftsman homes emphasize hand-worked touches and beautiful detailing. Popularized at the turn of the 20th Century, it remains a popular design aesthetic.

Classic homes are comforting and familiar. Their interiors are calm, orderly and consistent.

| | | | | | |
|---|---|---|---|---|---|
|  |  |  |  |  |  |
|  |  |  |  |  |  |
|  |  |  |  |  |  |

DESIGN IDEAS



CARIBBEAN

The Caribbean design combines aspects of Mediterranean, Spanish, and many other tropical architectural styles. Rustic textures compliment vivid color schemes in an inspiring mix of old world charm and casual playfulness.



**KENYON'S
GLASS**
An **ADL** Company

*High Velocity
Hurricane Zone &
Wind-Borne Debris*

- DOORGLASS
- SIDELITES
- TRANSOMS
- WINDOWS

CUSTOM SIZES



CUSTOM COLORS



CUSTOM DESIGNS



CUSTOM DESIGNS



Renewed Impressions



CUSTOM DESIGNS

CUSTOM DESIGNS



Camed Designs
Caming is the thin metal work that joins together the door glass elements. Camed units are available as custom one-of-a-kind or complementary of any designs.



Metalist Designs
Our Metalist designs are composed of aluminum sheets cut to a design or style of your choice, and sandwiched between insulated glass. Metalist units are available from existing designs, as custom one-of-a-kind or complementary of any designs.

CAMING OPTIONS



Zinc Polished Black Patina




Antique Patina Brass



Black Matte Patina Oil Rubbed Bronze

GLASS OPTIONS



COLOR OPTIONS



Black





White



Silver

GLASS OPTIONS



Bumpers keep the metal from rattling when opening and closing the door.

Kenyon's Glass prides itself on being one of the leading manufactures of custom decorative glass for the building industry. We provide design expertise and production of custom decorative panels for doors, sidelites transoms, windows and other unique installations.



CREATE YOUR OWN



CUSTOMIZE EXISTING DESIGN



BUILD COMPLEMENTARY DESIGNS

For additional information see our Kenyon's Custom Glass Catalog at BHIFlorida.com



**ALL DOORS FEATURED ARE
FLORIDA BUILDING CODE COMPLIANT**



HVHZ Impact

Structural and impact rated
No shutters required



Florida Wind-Borne Debris (WBD) Impact

Structural and impact rated
No shutters required

Product approval matrix, please see BHI's Price Guide.
Code Compliance Guide, see pages 76-79



*High Velocity
Hurricane Zone &
Wind-Borne Debris*

Severe Weather

All impact glass door offerings use
this ALUMINUM frame.

- Available in white powder coat
- Product comes with screw hole covers



FLAT PROFILE

All designs featured are
shown from the exterior
looking in.



**IMPACT RATED
DECORATIVE**



ALL DOOR SYSTEMS ARE SOLD UNFINISHED
ALL DOORS SHOWN CAN BE BUILT AS DOUBLE DOOR SYSTEMS

DECORATIVE

CONTEMPORARY

Blanca

LOW-E

Offering a high level of privacy and an understated backdrop, Blanca has a frosted, slightly stippled surface.



Privacy Rating 9

DECORATIVE

CLASSIC

Bristol

Satin Nickel Caming ●

Add the finishing touch to your home's classic architecture. Your eye will be drawn to a clear bevel column extending the length of the doorglass.



- Glass Textures;
- Clear Bevels
- Clear Cluster Bevels
- Granite Glass
- Hammered Glass



Shown with Custom Order Sidelites
CUSTOM PAGES 11-13

Privacy Rating 7



Full Lite 6/8
DRG00-BLC



Narrow Full Lite 6/8
DRS00-624BLC



HVHZ N/A
3/4 Lite Over 2 Panels 6/8
DRG49-BLC



1/2 Lite Over 2 Panels 6/8
DRG40-BLC



HVHZ N/A
1/4 Lite Over 2 Panels 6/8
DRS3F-BLC



Full Lite 6/8
DRG00-BTSN



1/4 Lite Over 4 Panels 6/8
DRS40-651BLC



Full Lite 6/8
SLG00-BLC



Full Lite 8/0
DRS0080-BLC



Narrow Full Lite 8/0
DRS0080-487BLC




HVHZ N/A
1/4 Lite Over 2 Panels 8/0
DRS3F80-BLC



Full Lite 8/0
SLS0080-BLC



Full Lite 8/0
DRG0080-BTSN



3/4 Lite Over 1 Panel 8/0
DRS2980-BTSN

DECORATIVE



SEE PAGE 78 FOR ENERGY STANDARD GUIDANCE

DECORATIVE

CLASSIC

Cadence

● Patina Caming


Cadence flows into floral inspired beveled glass clusters defined with a patina finish that creates a bright and classic entrance.

Glass Textures:
Clear Bevel Cluster
Ripple Glass
Hammered Glass

Privacy Rating 5



Shown with Custom Order Transom
CUSTOM PAGES 11-13



Full Lite 6/8
DR500-CD



HVHZ N/A
3/4 Lite Over 2 Panels 6/8
DRG49-CD



1/4 Lite Over 4 Panels 6/8
DR540-651CD




Full Lite 6/8
DRG00-CAMWIA




Full Lite 6/8
DRG00-CAMWIB



Full Lite 6/8
SLS00-CD



Full Lite 8/0
DRS0080-CD



Full Lite 8/0
SLS0080-CD



Full Lite 8/0
DRS0080-CAMWIA



Full Lite 8/0
DRS0080-CAMWIB



3/4 Lite Over 1 Panel 8/0
DRS2980-CAMWIA



3/4 Lite Over 1 Panel 8/0
DRS2980-CAMWIB

CARIBBEAN

Camden


● Wrought Iron

Curved wrought iron reminiscent of vineyards. Camden brings that Caribbean villa aesthetic to your front door.

Textured Tafeta Glass

Privacy Rating 9






COASTAL, CRAFTSMAN, CARIBBEAN

NEW!

Celebration Ocean

Lively oceans inspire unique pieces of beach glass. We celebrate nature with beautiful blues and twinkling teals in our Ocean design. This hand-crafted glass brings dynamic pops of color to your entryway and each piece we create is unique.



Glass Textures:
Fused Glass

Privacy Rating 6



CONTEMPORARY, CARIBBEAN

Chinchilla

LOW-E

As touchable as its namesake, Chinchilla's fine lines create a striking wave pattern when seen from afar.



Privacy Rating 9

HVHZ N/A



1/4 Lite Over 2 Panels 6/8
DRS3F-CLBO

HVHZ N/A



1/4 Lite Over 3 Panels 6/8
DRG6C-CLBO



Full Lite 6/8
DRG00-CHA



3/4 Lite Over 1 Panel 6/8
DRS29-CHA



1/2 Lite Over 2 Panels 6/8
DRG40-CHA



Full Lite 6/8
SLS00-CLBO

HVHZ N/A



1/4 Lite Over 2 Panels 8/0
DRS3F80-CLBO



Full Lite 6/8
SLG00-CHA



Full Lite 8/0
DRG0080-CHA



Full Lite 8/0
SLG0080-CHA

DECORATIVE


CONTEMPORARY
Crosswalk

Nickel Caming

Modern design comes to life through strong linear lines interrupted by bold pops of gray glass. Crosswalk's look is abstract, modern, and stylish.

Glass Textures;
Micro-Iced Granite Glass
Gray Softwave Glass
Clear Softwave Glass

Privacy Rating 9



TRANSOMS PAGES 11-13.



Full Lite 6/8
DR500-CWK



Full Lite 6/8
SLS00-CWK



Full Lite 6/8
DRG00-DOR



3/4 Lite Over 1 Panel 6/8
DRS29-DOR




Full Lite 6/8
SLG00-DOR



Full Lite 8/0
DRG0080-CWK



Full Lite 8/0
SLG0080-CWK



Full Lite 8/0
DRS0080-DOR



Full Lite 8/0
SLS0080-DOR

DECORATIVE

NEW! CONTEMPORARY
Dorian

Black Aluminum

Vertical lines in architecture bring to mind stability and skyward movement. Dorian combines patterns and texture for a high level of privacy and added elegance to your door.

Glass Textures;
Scribble Glass
Micro-Granite Glass
Gray Softwave Glass

Privacy Rating 8



DECORATIVE



DECORATIVE

CONTEMPORARY

Entropy

Black Chrome

Sweeping, fluid design defines Entropy's style. Circular patterns and a black chrome finish add a dramatic flair.

Glass Textures;
Clear Bevels
Clear Renaissance
Clear Seedy
Granite

Privacy Rating 5



CLASSIC

Grace

Nickel Caming


Accent your front door with the graceful styling of a bevel cluster. The classic look of Grace includes a backdrop of beveled glass textures and nickel finish.

Glass Textures;
Clear Bevels
Granite
Micro-cubed
Micro-granite

Privacy Rating 7



Full Lite 6/8
DRG00-ENTBCA




Full Lite 6/8
DRG00-ENTBCB



Full Lite 6/8
DRG00-GRC




Full Lite 6/8
SLG00-GRC



Full Lite 8/0
DRG0080-ENTBCA



Full Lite 8/0
DRG0080-ENTBCB



3/4 Lite Over 1 Panel 8/0
DRS2980-ENTBCA



3/4 Lite Over 1 Panel 8/0
DRS2980-ENTBCB



Full Lite 8/0
DRS0080-GRC



Full Lite 8/0
SLS0080-GRC

DECORATIVE



SEE PAGE 78 FOR ENERGY STANDARD GUIDANCE

DECORATIVE

CLASSIC

Heirlooms

Satin Nickel Caming

The value you place on history makes Heirlooms your perfect choice. Its deeply cut beveled glass and satin nickel finish create a classic design that endures, just like the family treasures that lie within your home.

- Glass Textures;
- Clear Cluster Bevels
- Glue Chip Glass
- Granite Glass

Privacy Rating 6



TRANSOMS PAGES 11-13

HVHZ N/A



Full Lite 6/8
DRS00-HM



3/4 Lite Over 2 Panels 6/8
DRG49-HM



1/2 Lite Over 2 Panels 6/8
DRS40-HM



Full Lite 6/8
DRG00-JA



3/4 Lite Over 1 Panel 6/8
DRS29-JA



Full Lite 6/8
SLG00-JA



Full Lite 6/8
SLS00-HM



Full Lite 8/0
DRS0080-HM



Full Lite 8/0
SLS0080-HM



Full Lite 8/0
DRS0080-JA



3/4 Lite Over 1 Panel 8/0
DRS2980-JA



Full Lite 8/0
SLS0080-JA



CARIBBEAN

Jacinto

Wrought Iron

Whether your architectural style is Spanish, Rustic, or Southwestern, Jacinto will bring an authentic design touch to your entryway.

Textured Arctic Glass

Privacy Rating 9



COASTAL

Linen

LOW-E

Reminiscent of a soft shirt or an elegantly embroidered table cloth, Linen's lightly etched weave pattern complements both casual and formal entryway designs.



Privacy Rating 9



CLASSIC


Majestic

Nickel Caming

Majestic's formal pattern of beveled glass, accented with gray shades, is the epitome of classic design.

Glass Textures:
Glue Chip Bevels
Glue Chip Glass
Gray Soft Wave Glass

Privacy Rating 5



Shown with Custom Order Transom
CUSTOM PAGES 11-13



Full Lite 6/8
DR500-LNN



3/4 Lite Over 2 Panels 6/8
DRG49-LNN

HVHZ N/A



1/2 Lite Over 2 Panels 6/8
DRG40-LNN



Full Lite 6/8
DRG00-ME



1/2 Lite Over 2 Panels 6/8
DR540-ME



1/4 Lite Over 4 Panels 6/8
DR540-651ME



Full Lite 6/8
SLS00-LNN



Full Lite 8/0
DRG0080-LNN



Full Lite 8/0
SLG0080-LNN



Full Lite 6/8
SLG00-ME



Full Lite 8/0
DRS0080-ME



Full Lite 8/0
SLS0080-ME



CONTEMPORARY

Micro-Granite

LOW-E

Micro-Granite blends texture and pattern to create a surface reminiscent of small polished pebbles.



Privacy Rating 9



CONTEMPORARY

Mistify Black

LOW-E

Mistify is a playful combination of pattern and texture. The black drizzle fuses with softly textured glass, resulting in a mesmerizing statement piece for any modern entryway.



Privacy Rating 6



Full Lite 6/8
DRS00-MG




Narrow Full Lite 6/8
DRS00-624MG



1/2 Lite Over 2 Panels 6/8
DRS40-MG



Full Lite 6/8
DRG00-MYB



Full 6 Lite 6/8
DRS00-MYB6L



3/4 Lite Over 1 Panel 6/8
DRS29-MYB



3/4 4 Lite Over 1 Panel 6/8
DRS29-MYB4L



Full Lite 6/8
SLS00-MG



Full Lite 8/0
DRG0080-MG



Full Lite 8/0
SLG0080-MG



Full Lite 6/8
SLG00-MYB



Full Lite 8/0
DRS0080-MYB



3/4 Lite Over 1 Panel 8/0
DRS2980-MYB



Full Lite 8/0
SLS0080-MYB

DECORATIVE

COASTAL, CONTEMPORARY

NEW!

Mistify White

LOW-E

Mistify is a playful combination of pattern and texture. The white drizzle fuses with softly textured glass, resulting in a mesmerizing statement piece for any modern entryway.



Privacy Rating 6



DECORATIVE

CRAFTSMAN, CARIBBEAN

Mohave

Oil-Rubbed Bronze Caming

- Glass Textures;
- Micro-Iced Granite Glass
- Streamed Glass
- Small Hammered Glass
- Gray Soft Wave Glass
- Bronze Seedy Glass
- Pale Amber Soft Wave Glass
- Clear Bevels



Privacy Rating 7



Full Lite 6/8
DRG00-MYW




3/4 Lite Over 1 Panel 6/8
DRS29-MYW



Full Lite 6/8
DRG00-MOH



1/2 Lite Over 2 Panels 6/8
DRS40-MOH



Full Lite 6/8
SLG00-MOH



Full Lite 6/8
SLS00-MYW



3/4 Lite Over 1 Panel 8/0
DRS2980-MYW



Full Lite 8/0
DRS0080-MOH



3/4 Lite Over 1 Panel 8/0
DRS2980-MOH



Full Lite 8/0
SLS0080-MOH

DECORATIVE

CONTEMPORARY


Park Place

Nickel Caming

A transitional piece between the modern contemporary and the classics. With its straight lines and mixed textures this glass is perfect for either style.

- Glass Textures;
- Micro Granite Glass
- Clear Bevel Glass
- Clear Ripple Glass
- Narrow Reed Glass
- Double Granite Glass

Privacy Rating 9



DECORATIVE

CLASSIC

Rain

LOW-E

This design features a vertical pattern and textured surface that creates the illusion of rain trickling down a window.



Privacy Rating 9



Full Lite 6/8
DRG00-PPZNCA



Full Lite 6/8
DRG00-PPZNCB



Full Lite 6/8
DRS00-RN



HVHZ N/A
3/4 Lite Over 2 Panels 6/8
DRS49-RN



1/2 Lite Over 2 Panels 6/8
DRG40-RN



HVHZ N/A
1/4 Lite Over 2 Panels 6/8
DRS3F-RN



Full Lite 8/0
DRS0080-PPZNCA



Full Lite 8/0
DRS0080-PPZNCB



3/4 Lite Over 1 Panel 8/0
DRS2980-PPZNCA



3/4 Lite Over 1 Panel 8/0
DRS2980-PPZNCB



Full Lite 6/8
SLS00-RN



Full Lite 8/0
DRG0080-RN



Full Lite 8/0
SLG0080-RN



CONTEMPORARY

Renewed Impressions

Nickel Caming

The sweeping floral patterns of our signature Impressions decorative glass are elegantly refreshed with nickel caming to create Renewed Impressions.

- Glass Textures:
- Clear Bevels
 - Iced Granite Glass
 - Streamed Glass
 - Clear Renaissance Glass

Privacy Rating 7



CONTEMPORARY

Streamed

LOW-E

The pronounced vertical pattern and strong ribbed texture of Streamed creates the illusion of falling water in your entryway.



Privacy Rating 9



Full Lite 6/8
DRG00-RLI



1/2 Lite Over 2 Panels 6/8
DRS40-RLI



Full Lite 6/8
SLG00-RLI



Full Lite 6/8
DRG00-STM



Narrow Full Lite 6/8
DRS00-624STM



3/4 Lite Over 1 Panel 6/8
DRS29-STM



1/2 Lite Over 2 Panels 6/8
DRS40-STM



1/4 Lite Over 2 Panels 6/8
DRF3F-STM

HVHZ N/A



Full Lite 8/0
DRG0080-RLI



Full Lite 8/0
SLG0080-RLI



1/4 Lite Over 4 Panels 6/8
DRS40-651STM



Full Lite 6/8
SLG00-STM



Full Lite 8/0
DRS0080-STM



Narrow Full Lite 8/0
DRS0080-487STM



1/4 Lite Over 2 Panels 8/0
DRF3F80-STM

HVHZ N/A



Full Lite 8/0
SLS0080-STM



CRAFTSMAN


Topaz

● Patina Caming

Topaz offers subtle pops of color, a focal bevel cluster, and patina finish. These jewels combine to create a Craftsman-style doorglass that adds beauty to you home's entryway.

Glass Textures:
Micro-Granite Glass
Bronze Softwave Glass
Thin Reed Glass
Clear Bevels

Privacy Rating 9



COASTAL, CONTEMPORARY

Waterside

Black Chrome Caming ●

Naturally flowing movement extends the length of Waterside and brings to mind a flowing river or grasses swaying in the breeze.

Glass Textures;
Clear Softwave Glass
Streamed Glass

Privacy Rating 9



TRANSOMS PAGES 11-13




Full Lite 6/8
DRS00-TPZ



1/4 Lite Over 2 Panels 6/8
DRF3F-TPZ



Full Lite 6/8
SLS00-TPZ



Full Lite 6/8
DRS00-WTS



3/4 Lite Over 1 Panel 6/8
DRS29-WTS



1/2 Lite Over 2 Panels 6/8
DRG40-WTS



3/4 Lite Over 1 Panel 8/0
DRS2980-TPZ




1/4 Lite Over 2 Panels 8/0
DRS3F80-TPZ



Full Lite 6/8
SLS00-WTS



Full Lite 8/0
DRG0080-WTS



Full Lite 8/0
SLG0080-WTS

DECORATIVE



DESIGN IDEAS

Etched Glass

LOW-E

BHI Doors offers this unique line of doorglass inserts styled for Florida living. Traditional sand-blasting techniques help enhance your door opening by applying a beautiful etched design to clear glass.



Dark background shown in pictures represent clear glass. Etched Glass units can be handed.

NEW! CONTEMPORARY
Custom Simulated Divided Lites

LOW-E

Give your home a unique look with our SDL Bar program. We can do most custom designs utilizing 1, 3.5, or 5" SDL Bars applied to One Lite glass.

Designs can be applied to clear or textured Low-E Glass. See page 43 for glass options.



BHIC3-A HERON BHIC3-B HERON
Full Lite 6/8 or 8/0



BHBJC-A JUMPING CRANES BHBJC-B JUMPING CRANES
Full Lite 6/8 or 8/0



4 Lite Cross Design



12 Lite Design



BH1U-A SEA LIFE BH1U-B SEA LIFE
Full Lite 6/8 or 8/0



BHIN6-A PALM BHIN6-B PALM
Full Lite 6/8 or 8/0



C Double Door Design



Prairie Design



Brick Design



Simulated Divided Lites

LOW-E

One light OD Impact glass with Simulated Divided Lite bars adhered to both the inside and outside glass panes.

- Available in three widths: 1, 3.5, or 5"
- Smooth, paintable and made from recycled materials.



Designs can be applied to clear or textured Low-E Glass. See page 43 for glass options.




The Following Low-E Glass Options are Available



Simulated Divided Lites

(Continued)



Full Vertical 2 Lite 6/8
DRS00-SDLFV2L



Full Horizontal 3 Lite 6/8
DRS00-SDLFH3L



Full Horizontal 4 Lite 6/8
DRS00-SDLFH4L



Full Vertical 2 Lite 8/0
DRS0080-SDLFV2L



Full Horizontal 3 Lite 8/0
DRS0080-SDLFH3L




Full Horizontal 4 Lite 8/0
DRS0080-SDLFH4L



Full Horizontal 5 Lite 6/8
DRS00-SDLFH5L



Full Horizontal 6 Lite 6/8
DRS00-SDLFH6L




Full Horizontal 7 Lite 6/8
DRS00-SDLFH7L



Full Horizontal 3 Lite 6/8
SLS00-SDLFH3L



Full Horizontal 5 Lite 8/0
DRS0080-SDLFH5L



Full Horizontal 6 Lite 8/0
DRS0080-SDLFH6L



Full Horizontal 7 Lite 8/0
DRS0080-SDLFH7L



Full Horizontal 3 Lite 8/0
SLS0080-SDLFH3L



Nova 90 Direct Glazed

- LOW-E (white translucent glass)
- LOW-E +366 (clear glass)
- Full Length LVL Reinforcement (Hinge & Strike Side, For Extra Rigidity)
- HydroShield Technology
- Insulated 1" Glass
- Compression Molded Fiberglass Skin
- Integrally Molded Glass Stop
- High Density Polyurethane Foam
- Nova 90 door skin is a white brushed texture.



SDL BARS

SDL Bars can be added to Nova 90 doors to create a simulated divided lite look. Many different lite configurations can be achieved using these great add-ons. They are stocked in the following widths:

1" 3 1/2" 5"



Nova90 White Translucent Door with 5" SDL Bars



Full Lite Clear 6/8
DRS1SL



Full Lite White Translucent 6/8
DRS1STSL



Full Lite Clear 8/0
DRS1S80L



Full Lite White Translucent 8/0
DRS1S80TSL



3/4 Lite Clear Over 1 Panel 6/8
DRS1EL



3/4 Lite White Translucent Over 1 Panel 6/8
DRS1ETSL



3/4 Lite Clear Over 1 Panel 8/0
DRS1E80L



3/4 Lite White Translucent Over 1 Panel 8/0
DRS1E80TSL

Nova 90 Direct Glazed

(Continued)

- LOW-E (white translucent glass)
- LOW-E +366 (clear glass)
- Full Length LVL Reinforcement (Hinge & Strike Side, For Extra Rigidity)
- HydroShield Technology
- Insulated 1" Glass
- Compression Molded Fiberglass Skin
- Integrally Molded Glass Stop
- High Density Polyurethane Foam
- Nova 90 door skin is a white brushed texture.



*High Velocity
Hurricane Zone &
Wind-Borne Debris*

- BLINK BLINDS
- GRILLES BETWEEN GLASS
(GBG)
- ONE LITES
(Low-E, Turtle)
- VENTILATING DOORS
- INSULATED PET DOOR

Severe Weather

All impact glass door offerings use this ALUMINUM frame.

- Available in white powder coat
- Product comes with screw hole covers



FLAT PROFILE



IMPACT RATED
AROUND THE HOME



ALL DOOR SYSTEMS ARE SOLD UNFINISHED
ALL DOORS SHOWN CAN BE BUILT AS DOUBLE DOOR SYSTEMS

AROUND THE HOME

AROUND THE HOME



LOW-E

The single operator lets you raise, lower and tilt the blinds in an easy slight movement.

Available in Clear, Low-E & Low-E +366.

Adjustable Privacy Rating

(Continued)

LOW-E
LOW-E +366

The single operator lets you raise, lower and tilt the blinds in an easy slight movement.

Available in Clear, Low-E & Low-E +366.

Adjustable Privacy Rating



Full Lite 6/8
DRS00-RLB



Narrow Full Lite 6/8
DRS00-624RLB



Available in White (Stock) or
Slate Gray (Special Order)



Full Lite 8/0
DRS0080-RLB



Narrow Full Lite 8/0
DRS0080-487RLB

LOW-E N/A



Full Lite 8/0
SLS0080-RLB



1/2 Lite Over 2 Panels 6/8
DRS40-RLB




Full Lite 6/8
SLS00-RLB



Grilles Between Glass

LOW-E
WHITE GRILLE BAR

Low-E +366, 340, and 272 are also available by Custom Order.



Grilles Between Glass

(Continued)

LOW-E
WHITE GRILLE BAR

Low-E +366, 340, and 272 are also available by Custom Order.



Full 6 Lite 6/8
DRS00-GBG6L



Full 10 Lite 6/8
DRS00-GBG10L



Full 15 Lite 6/8
DRS00-GBG15L



Narrow Full 10 Lite 6/8
DRS00-624GBG10L



Full 12 Lite 8/0
DRS0080-GBG12L



Full 18 Lite 8/0
DRS0080-GBG18L



Full 6 Lite 8/0
SLS0080-GBG6L



HVHZ N/A
3/4 6 Lite Over 2 Panels 6/8
DRS49-GBG6L



1/2 9 Lite Over 2 Panels 6/8
DRS40-GBG9L



Full 5 Lite 6/8
SLS00-GBG5L



Prairie Full Lite 6/8
DRS00-GBGPR



Prairie Full Lite 6/8
SLS00-GBGPR



Prairie Full Lite 8/0
DRS0080-GBGPR



One Lites

LOW-E

When you want your view and nothing but the view, clear glass is the answer.

Available in Clear, Low-E & Low-E +366.

Low-E 340, and 272 are also available by Custom Order.



Shown with Custom Order Transom

TRANSOMS PAGES 11-13

One Lites

(Continued)

LOW-E

When you want your view and nothing but the view, clear glass is the answer.

Available in Clear, Low-E & Low-E +366.

Low-E 340, and 272 are also available by Custom Order.



Full Lite 6/8
DRS00-CLE



Full Lite 6/8 (ADA)
DRS00-850CLE



Narrow Full Lite 6/8
DRS00-624CLE



HVHZ N/A
3/4 Lite Over 2 Panels 6/8
DRG49-CLE



Full Lite 8/0
DRS0080-CLE



Full Lite 8/0 (ADA)
DRS0080-855CLE



Narrow Full Lite 8/0
DRS0080-487CLE



3/4 Lite Over 1 Panels 8/0
DRS2980-CLE



1/2 Lite Over 2 Panels 6/8
DRS40-CLE



HVHZ N/A
1/4 Lite Over 2 Panels 6/8
DRF3F-CLE



1/4 Lite Over 4 Panels 6/8
DRS40-651CLE



Full Lite 6/8
SLS00-CLE



HVHZ N/A
1/2 Lite Over 2 Panels 8/0
DRS4180-CLE



HVHZ N/A
1/4 Lite Over 2 Panels 8/0
DRS3F80-CLE



Full Lite 8/0
SLS0080-CLE



One Light Turtle Glass

Thousands of marine turtles nest in U.S. coastal areas. State and local ordinances protect hatchling turtles by limiting the brightness of inside-to-outside visible light transmittance.

All turtle glass designs shown below have been constructed to meet those local standards.



Turtle Glass is Solar Gray - Solar Gray (SGSG).



Ventilating Doors

This product by DLP Industries is an operational window insert/door combo. When the window is open, fresh air is introduced into the home, eliminating the need for a screen door.

Perfect for beach side residential dwellings. Excellent for condominium doors, patio doors, cabana bath doors, and side garage doors .

Manufactured in Florida.

The following optional glass types are available.

| | | | | |
|-------|-------------|---------|-------|---------|
| | | | | |
| Low-E | Milky White | Obscure | Gray* | Turtle* |

*Special Order



Full Lite 6/8
DRS00-SGSG



1/2 Lite Over 2 Panels 6/8
DRS40-SGSG



Full Lite 6/8
SLS00-SGSG



Full Vent 6/8
DRS00-WIND



1/2 Vent 6/8
DRS00-WINDHL



1/2 Vent Over 2 Panels 6/8
DRG40-WINDHL



Full Lite 8/0
DRS0080-SGSG



Full Lite 8/0
SLS0080-SGSG

Optional Impact Security Screen




- Premium grade high tensile 304 stainless security mesh
- Offers insect control, and impact resistance
- Allows ventilation without compromising security
- Available for all door sizes
- All units are built with standard fiberglass screen unless this impact screen option is specified

HVHZ ONLY



3/4 Vent Over 1 Panel 8/0
DRS2980-WIND

*Insulated
Pet Door*



Don't keep your best friend waiting!

- For pets up to 90 lbs
- This system meets ASTM F588 300 lbs forced entry
- Meets structural, cycle, impact, and water testing for Florida's WBD regions. DP rating: Inswing +50 /-60 Outswing +45 /-45
- Low maintenance, energy efficient, extremely durable flap and frame



The flexible flap uses durable vinyl weatherstrip and rare-earth magnets to create an energy efficient seal when not in use.

The flap is clear so you and your pet can see whats on the other side

Available in the following size:
Large Pet: 10-1/4" wide X 15-1/4" high flap

*Insulated
Pet Door*

(Continued)



Interior view



Exterior View

Each system comes with removable exterior and interior barrier panels. The interior barrier panel can be slid into place when you want to restrict your pet's access. The exterior barrier is secured with a key lock to keep small intruders and large storms out.



HVHZ N/A

1/2 Blind Lite Over 1 Panel 6/8
DRS00-RBL-P2L



HVHZ N/A

1/2 GBG Lite Over 1 Panel 6/8
DRS00-GBG9L-P2L



HVHZ N/A

1/2 Lite Over 1 Panel 6/8
DRS00-CLE-P2L



IMPACT RATED DOORS

SOLID FIBERGLASS



*High Velocity
Hurricane Zone &
Wind-Borne Debris*

All wood grained doors are sold unfinished and natural color is tan. Can be painted or stained.

All smooth doors are sold unfinished and natural color is white. Can be painted or faux finished.

THE MAKINGS OF A BETTER DOOR:

HYDROSHIED TECHNOLOGY
Strength and protection against moisture infiltration

LAMINATED VENEERED LUMBER (LVL)
Strength, durability and hardware reinforcement

10 GAUGE STEEL BEAM (NON-HVHZ ONLY)
Prevents thermal bowing

HIGH DENSITY POLYURETHANE CORE
Energy efficiency and noise reduction

FIBERGLASS REINFORCED SKIN
High impact and dent resistant



ALL DOORS SHOWN CAN BE BUILT AS DOUBLE DOOR SYSTEMS



SOLID FIBERGLASS

Rustic Textured



Clavos Options



Wrought Iron Speakeasy With Sea Spray Glass Option
10" x 11-15/16"



2 Panels 6/8
DRA2B



2 Panels Plank Arch Panel 6/8
DRA2A



2 Panels Arch Panel 6/8
DRA2D



2 Panels Plank Arch Panel 8/0
DRA2A80



HVHZ N/A
2 Panels Plank 8/0
DRA2P80



Modern Collection

Create an effortless contemporary design with simple panel details and clean lines.

Add on a marine grade Stainless Steel Ladder Pull with a roller latch to give your door that extra touch of modern.



Shaker Collection

Inspired by 20th century architecture, these doors will give your home a Craftsman look that is sure to impress.



Primed White Dentil Shelf

NEW!



Fir Grain Tan Dentil Shelf



HVHZ N/A
Milan Teak Grain 6/8
DMT51



Napoli 6/8
DMG51



South Beach 6/8
DMG46



Napoli 8/0
DMG5180



South Beach 8/0
DMG4680



HVHZ N/A
1 Panel 6/8
DRS1K



HVHZ N/A
2 Panels 6/8
DRS2K



HVHZ N/A
NEW!
3 Panels Horizontal 6/8
DRS3J



HVHZ N/A
3 Panels 6/8
DRS3F



HVHZ N/A
3 Panels Fir Grain 6/8
DRF3F



HVHZ N/A
5 Panels 6/8
DRS50



HVHZ N/A
2 Panels 8/0
DRS2K80



HVHZ N/A
3 Panels 8/0
DRS3F80



HVHZ N/A
3 Panels Fir Grain 8/0
DRF3F80



Textured Woodgrain


Woodgrain doors have a stainable rich oak grain pattern that resembles the look, feel, and texture of real wood- without any of the problems associated with wood.



Textured Woodgrain

(Continued)

8/0 DOOR CROSS SECTION



Flush 6/8
DRG00



HVHZ N/A
3/4 2 Panels 6/8
DRG29



HVHZ N/A
3/4 4 Panels 6/8
DRG49



Flush 8/0
DRG080



HVHZ N/A
3/4 2 Panels 8/0
DRG2980



HVHZ N/A
3/4 3 Panels 8/0
DRG3080



6 Panels 6/8
DRG6



HVHZ N/A
6 Panels Craftsman 6/8
DRG6C



HVHZ N/A
True 4 Panels 8/0
DRG4180



HVHZ N/A
6 Panels 8/0
DRG6080



HVHZ N/A
9 Panels 8/0
DRG9180



smooth skin


These doors are scratch-resistant! Patented, pre-pigmented white skin infuses the door white through and through. Can be painted or faux finished to coordinate with your home decor.



smooth skin

(Continued)

6/8 DOOR CROSS SECTION



Flush 6/8
DRS00



2 Panels 6/8 (ADA)
DRS22



2 Panels Plank Arch Panel 6/8
DRS2G



HVHZ N/A
3/4 4 Panels 6/8
DRS49



True 4 Panels 6/8
DRS41



6 Panels 6/8
DRS6



2 Panels Arch Panel 6/8
DRS2D



3/4 2 Panels 6/8
DRS29



HVHZ N/A
3 Panels Elite 6/8
DRS3E



HVHZ N/A
6 Panels Craftsman 6/8
DRS6C



HVHZ N/A
8 Panels Center Arch 6/8
DRS80



HVHZ N/A
9 Panels 6/8
DRS90




smooth skin

(Continued)

These doors are scratch-resistant! Patented, pre-pigmented white skin infuses the door white through and through. Can be painted or faux finished to coordinate with your home decor.

7/0 DOOR CROSS SECTION



Flush 7/0
DRS0070




6 Panels 7/0
DRS6170



smooth skin

(Continued)

8/0 DOOR CROSS SECTION



Flush 8/0
DRS0080



2 Panels 8/0 (ADA)
DRS2280



2 Panels Plank Arch Panel 8/0
DRS2G80



2 Panels Arch Panel 8/0
DRS2D80

HVHZ N/A



3/4 2 Panels 8/0
DRS2980



True 4 Panels 8/0
DRS4180



6 Panels 8/0
DRS6080

HVHZ N/A

HARDWARE

HIGH SECURITY
LOCKS


STANDARD LOCKS

VIEWERS

PRIVACY LATCH

KICK PLATES

STOPS



FOR MORE SYSTEM COMPONENT
OPTIONS, REFER TO PAGES 82-86.

HARDWARE

TRILENNIUMTM Multi-Point Locking System

Security. Strength. Reliability. Performance.

Unmatched security doesn't have to mean compromised style. Trilennium offers a growing portfolio of attractive handset designs that work in conjunction with a locking mechanism which installs into a router carved pocket in the edge of your door. This mechanism features one solid unit with three latches based on patented I-Beam construction for reliable, proven strength and performance. Operating as one unit, all three latches engage when the door is closed. One movement of the thumb-turn or key turn activates all three deadbolts. Each latch is a deadbolt which adds increased protection for any entryway.

- Patented Strike Rollers and latches draw the door panel into perfect alignment with the jamb for a tight seal with no deflection
- A single downward turn of the interior handle releases all three deadbolts making it panic-proof
- Keying available; BHI Stock has a SCHLAGE C Keyway, and can be keyed to Yale locks for whole house compatibility. Also available in Smart Key!
- Manufactured in the USA



ECLIPSE
SHOWN IN
SATIN NICKEL

FOR MORE DEDICATED LEVERSET
OPTIONS, REFER TO PAGE 70.



HARDWARE

HARDWARE

TRILENNIUM™ *Dedicated Leversets*



PINNACLE
SHOWN IN
VICTORIAN BRONZE



HORIZON
SHOWN IN
SATIN NICKEL



RECTANGULAR
SHOWN IN
POWDER COAT BLACK



ECLIPSE
SHOWN IN
VICTORIAN BRONZE

| | SATIN NICKEL | VICTORIAN BRONZE | POWDER-COAT BLACK |
|--------------------------------------|--------------|------------------|-------------------|
| Color chart for representation only. | | | |
| HORIZON LEVERSET | • | | |
| ECLIPSE LEVERSET | • | • | • |
| PINNACLE LEVERSET | • | • | |
| RECTANGULAR LEVERSET | • | • | • |

Electronic Deadbolt

Yale's Real Living Assure Deadbolts can be operated by either pin code or keyway. These Grade 2 residential locks can be upgraded with Special Order smart modules which can allow them to communicate with home automation systems.



OUTSIDE VIEW INSIDE VIEW
TOUCHSCREEN DEADBOLT

Handlesets

Yale manufactures handlesets in a wide range of exciting designs at surprisingly affordable prices.



HOMESTEAD ENTRY HANDLESET



MCKINLEY ENTRY HANDLESET



RAINIER ENTRY HANDLESET



RIDGEFIELD ENTRY HANDLESET

| | GRADE | SATIN NICKEL | OIL-RUBBED BRONZE | BLACK |
|--------------------------------------|-------|--------------|-------------------|-------|
| Color chart for representation only. | | | | |
| ELECTRONIC DEADBOLT | 2 | • | • | • |
| HOMESTEAD HANDLESET | 2 | • | • | • |
| McKinley HANDLESET | 3 | • | • | • |
| RAINIER HANDLESET | 3 | • | • | • |
| RIDGEFIELD HANDLESET | 2 | • | • | • |

HARDWARE

HARDWARE



Leversets & Knobsets

Prestige, strength, and longevity.



AUGUSTA ENTRY LEVERSET



KINCAID ENTRY LEVERSET



NORWOOD ENTRY LEVERSET



WOODLAND ENTRY LEVERSET



VIDALIA ENTRY LEVERSET



CAMBRIDGE ENTRY KNOBSET



DARTMOUTH ENTRY KNOBSET

| | GRADE | SATIN NICKEL | OIL-RUBBED BRONZE | BLACK |
|--------------------------------------|-------|--------------|-------------------|-------|
| Color chart for representation only. | | | | |
| AUGUSTA LEVERSET (ADA) | 2 | • | • | |
| KINCAID LEVERSET | 2 | • | • | • |
| NORWOOD LEVERSET | 2 | • | • | • |
| VIDALIA LEVERSET | 3 | • | • | • |
| WOODLAND LEVERSET | 3 | • | • | • |
| CAMBRIDGE KNOBSET | 2 | • | • | • |
| DARTMOUTH KNOBSET | 2 | • | • | • |

Deadbolts

Prestige, strength, and longevity.



FLAT ROUND DEADBOLT



FLAT SQUARE DEADBOLT



SELECT DEADBOLT
(Comes with security strike)

| | GRADE | SATIN NICKEL | OIL-RUBBED BRONZE | BLACK |
|--------------------------------------|-------|--------------|-------------------|-------|
| Color chart for representation only. | | | | |
| FLAT ROUND DEADBOLT | 3 | • | • | • |
| FLAT SQUARE DEADBOLT | 3 | • | • | • |
| SELECT DEADBOLT | 2 | • | • | • |

Viewers

- Maximize your privacy rating by installing a viewer in your opaque door.
- 180° viewing area

| ITEM | SATIN NICKLE | OIL RUBBED BRONZE | MATTE BLACK |
|-----------------|--------------|-------------------|-------------|
| Standard Viewer | • | • | • |
| Shaker Viewer | • | • | |



Standard/ Shaker Viewer

Privacy Latch

- Increase your peace of mind with a heavy duty latch.

| ITEM | SATIN NICKLE | OIL RUBBED BRONZE | MATTE BLACK |
|---------------|--------------|-------------------|-------------|
| Privacy Latch | • | • | • |



Privacy Latch

HARDWARE

Kick Plates

- Protection for the bottom of your door.

| ITEM | SATIN NICKLE | OIL RUBBED BRONZE | MATTE BLACK |
|------------|--------------|-------------------|-------------|
| Kick Plate | • | • | • |



Stops

- We offer a wide variety of ways to protect your door and your home from swing damage.



Heavy Duty Spring Stop



Rigid Stop



Concave Wall Stop



Goose Neck Floor Stop



Hinge Pin Stop



Crash Chain

| ITEM | SATIN NICKLE | OIL RUBBED BRONZE | MATTE BLACK | BRIGHT CHROME | STAINLESS STEEL |
|------------------------|--------------|-------------------|-------------|---------------|-----------------|
| Goose Neck Floor Stop | • | • | • | | |
| Hinge Pin Stop | • | • | • | | |
| Rigid Stop | • | • | • | | |
| Heavy Duty Spring Stop | • | • | • | • | |
| Concave Wall Stop | | • | • | | • |
| Crash Chain | | | | • | |

*High Velocity
Hurricane Zone &
Wind-Borne Debris*

**HURRICANE
COMPLIANCE**


**ENERGY
COMPLIANCE**

**STANDARD
FEATURES**

COMPONENTS

**AVAILBILITY
GUIDE**

**APPROVALS, SPECS &
COMPONENTS**





HURRICANE COMPLIANCE




Our expertise in Florida and High Velocity Hurricane Zone (HVHZ) building codes means you can trust **BHI Doors** systems to comply with the unique requirements needed for hurricane code compliance.

Impact units have structural ratings and may be used in the HVHZ and/or WBD impact zones without shutters required.



HURRICANE COMPLIANCE

Doors made to withstand high pressure



BHI quotes and order acknowledgments list the product approvals needed for each pre-hung door system. For additional code approvals and specific design pressure ratings, please see BHI Price Guide

Some doors are approved for HVHZ for in-swing application but may have overhang requirements. Some systems with very high design pressure ratings may require surface bolts, and/or dead bolt security strikes.

BHI does not warrant the suitability of any product for any specific use. For additional code information, contact a BHI representative, speak with a local plans examiner's office, or contact a contractor or engineer.

ENERGY COMPLIANCE

ENERGY COMPLIANCE

BHI and our suppliers of major fenestration components have made it a joint effort to focus on compliance with the Florida Building Code - 5th Edition Energy Conservation.

Catalog pages containing only product that meet the minimum energy standard for both solar heat gain coefficient (SHGC) and U-Factor in both climate zones will display this logo at the top of the page:



Individual products that DO NOT meet the minimum energy standards will display this logo:


Individual products that DO meet the minimum energy standards will display this logo:



ENERGY CODE EXEMPTIONS

There are also exemptions for products that DO NOT meet the energy standards.

The Prescriptive method of compliance allows up to 15 square feet "of glazed fenestration" per dwelling unit to be exempt from the U-factor and SHGC requirements R402.1.(1), and also one side hinged opaque door assembly up to 24 square feet to be exempt from U-factors (Section R402.1.(3 & .4)). If using this exemption, doors bearing this mark may be used as single door units. Other exemptions for doors bearing that mark may be used when using whole house energy engineering compliance method.



BHI and its suppliers of major components are Energy Star Partners.



ENERGY LABELING

Labels will have specific certified products directory (CPD) numbers listed. These are the numbers listed in the certified products directory of the National Fenestration Rating Council (NFRC). The CPD numbers listed under BHI are also listed with our third-party quality assurance provider, National Accreditation Management Institute (NAMI) for thermal quality assurance compliance.

BHI doors that meet the Energy Standards will have at least 2 Energy Performance labels.

- One permanent label attached to the hinge side of the door slab.
- One temporary label which will be attached to the face of the door.



STRUCTURAL CERTIFICATION LABELING

Builders Hardware inc.
Plastpro/Nanya Plastic FL# 15210.4
MANUFACTURER STIPULATES CONFORMANCE TO:
TAS 201,202,203 - ASTM E48 NOA 17-0712.05/16-0314.11
DP RATING +75-75 PSF 1/8", 1/2", 1" GLAZED UNIT IN/OUT
MAX TEST SIZE 3/0 X 6/8 X
FL CERT # 1773 ANSI # 0651

Specific Labels are used when exact design pressure ratings are required for specific size door configurations, within our test matrix qualifications. Structural Certification Labels are created for specific units with specific stipulations which conform to varying codes within the state.

BHI does not warrant the suitability of any product for any specific use. For additional code information, contact a BHI representative, speak with a local plans examiner's office, or contact a contractor or engineer.

STANDARD FEATURES

ALL SMOOTH SKIN DOOR SYSTEMS INCLUDE:

- White fiberglass doors
- Smooth white 4 9/16" composite door frames
- White powder coat aluminum T-astragal (Double Doors)
- White weather-strip
- Inswing or outswing threshold mill finish
- Radius x Radius security hinges



White fiberglass doors



White weather-strip
Smooth white composite door frames



Radius x Radius
Security Hinges



Inswing or outswing threshold mill finish



White powder coat aluminum
T-astragal (Double Doors)

STANDARD FEATURES

ALL WOODGRAIN TEXTURED DOOR SYSTEMS INCLUDE:

- Textured fiberglass doors
- Textured 4 9/16" composite door frames
- Primed aluminum T-astragal (Double Doors)
 - Bronze weather-strip
- Inswing or outswing threshold mill finish
 - Radius x Radius security hinges



Textured fiberglass doors



Bronze weather-strip
Textured composite door frames



Radius x Radius
Security Hinges



Inswing or outswing threshold mill finish



Stainable aluminum T-astragal
(Double Doors)

COMPONENTS

plastpro® PF FRAMES™

Doorframes & Moldings

This rigid Poly Fiber formulation door jamb offers the very best in product performance, and is easy to use. Our innovative PF Frames can be machined like wood, look and feel like wood, and can be painted or stained. The noticeable difference comes down to the strength and durability.

- Closed Cellular Structure
- Twice The Screw-Holding Power of Wood
- Rigid Poly-Fiber Formulation


| DOOR FRAME 6/8, 7/0 & 8/0 | JAMB (DOOR FRAME) DEPTH SIZE | | | |
|------------------------------|------------------------------|--------|---------|--------|
| | 4-9/16" | 5-1/4" | 6-9/16" | 7-1/4" |
| SMOOTH FINISH | • | • | • | • |
| WOOD GRAIN FINISH | • | • | • | • |



The closed cellular structure of our composite frames ensures that the molding will not absorb moisture, and that the frame will resist splitting, rotting and insect damage.



PLASTPRO PF™ FRAME WOOD FRAME



SECURITY STRIKE PLATES
(REQUIRED FOR USE WITH SOME HVHZ SINGLE DOOR UNITS)

| SKU | DESCRIPTION | FINISH |
|--------------|--|---------------|
| YR02081BLACK | 1-1/4"x3-5/8" DEADBOLT SECURITY STRIKE | BLACK |
| YR02081US26 | 1-1/4"x3-5/8" DEADBOLT SECURITY STRIKE | BRIGHT CHROME |




COMPONENTS

plastpro®

Brickmold & Trim

- White smooth molding can be painted or faux finished
- Tan textured molding can be painted or stained



BRICKMOLD AND MOLDING SMOOTH

| SKU | SIZE | DESCRIPTION | FINISH |
|---------------|-------------------|---------------------------------|--------|
| PFWBM17685 | 85"x1-1/2"x5/8" | Smooth PF Brickmold | White |
| PFWBM176102 | 102"x1-1/2"x5/8" | Smooth PF Brickmold | White |
| PFWBM18085 | 85" x 3/16"x2" | Smooth PF Brickmold | White |
| PFWBM180102 | 102"x1-3/16"x2" | Smooth PF Brickmold | White |
| PFMTS24M10000 | 100"x2-1/2" | Smooth PF Mullion Strip | White |
| PFWSSM100 | 100"x11/32"x9/16" | Smooth PF Sidelite Stop Molding | White |



BRICKMOLD AND MOLDING TEXTURED

| SKU | SIZE | DESCRIPTION | FINISH |
|---------------|-------------------|-----------------------------------|--------|
| PFBM176102 | 102"x1-1/2"x5/8" | Textured PF Brickmold | Tan |
| PFBM180102 | 102"x1-3/16"x2" | Textured PF Brickmold | Tan |
| PFMTG24M10000 | 100"x2-1/2" | Textured PF Mullion Strip | Tan |
| PFSSM100 | 100"x11/32"x9/16" | Textured PF Sidelite Stop Molding | Tan |

COMPONENTS

COMPONENTS




Aluminum Astragals

Aluminum exterior door T-astragals that offer security, and also stand out with honor among the best under Florida building code testing.

Available in White or Tan Primed in 6/8, 7/0 and 8/0 sizes




Adjustability



4-way adjustable (horizontal and vertical) strike latch plates.

Flat Contoured



Add on an Astragal Security Strip to any outswing double door combination for added security and clean finished appearance eliminating the reveal between the doors.

Security



Flip lever locks

Precision



Slide bolt with machined center punch allows for precise bolt location and ease of installation.



Aluminum Thresholds

Keep the bugs out and the air in. Available for inswing, outswing and handicap accessibility doors. Available in Mill, Black or Bronze Finish.

Sizes: 4 9/16, (extenders for 5 1/4, 6 9/16, 7 1/4)



INSWING



OUTSWING



OUTSWING HVHZ

Weather seals

When it comes to keeping the good weather in and the bad weather out, BHI Weatherseals are the REAL deal. Available in White, Black or Bronze




Optional Jamb Seal



Optional Corner Seal



Optional Corner Seal



Outswing Door Top Seal (optional)



Wrap Around Door Sweep



Screw-On Door Sweep

COMPONENTS

Hinges

Specially designed for high-performance and tested for long lasting endurance. BHI offers the best-in-class hinges in stainless steel, and most popular U.S. colors.



| | DULL CHROME US26D | ZINC DICHROMATE US2D | SATIN NICKEL SMOOTH US15S | ANTIQUÉ BRASS US5 | STAIN-LESS STEEL US32D | ANTIQUÉ NICKEL US15A | PRIMED WHITE USPP | SATIN NICKEL BRUSHED US15 | BRIGHT BRASS US3 | SATIN BRONZE US10C | MATTE BLACK US19 |
|--|----------------------|-------------------------|------------------------------|----------------------|---------------------------|-------------------------|----------------------|------------------------------|---------------------|-----------------------|---------------------|
| Color chart for representation only. | | | | | | | | | | | |
| 4" x 4" BALL BEARING 5/8" RADIUS x RADIUS STUD | | • | | | • | | | | | • | •(NRP) |
| 4" x 4" BALL BEARING 5/8" RADIUS x SQUARE STUD | | | | | • | | | | | | |
| 4" x 4" SPRING 5/8" RADIUS x RADIUS | | • | • | | | | | | | • | • |
| 4" x 4" SAFETY 5/8" RADIUS x RADIUS STUD | • | • | • | •(NRP) | • | • | • | • | • | • | |
| 4" x 4" SAFETY 5/8" RADIUS x SQUARE STUD | | | | | | | | • | | • | |

• IN STOCK

DOOR STYLIZER

Your Door Stylizer™

Create Your Dream Entryway!

This tool allows homeowners to visualize how various ODL® Doorglass options will look in their home entryways. YOUR DOOR STYLIZER™ uses a guided design process that helps homeowners customize their entryway by replacing glass, adding glass or replacing their door. Once the user has created their dream entryway, they can save, email, share via social media or print their project to make doorglass ordering a snap.

What's Your Style?
Classic? Contemporary? Something in Between?

Find the doorglass style that suits you and your home perfectly.

UPLOAD A PHOTO OF YOUR HOME or select a sample from our gallery. Then explore, get inspired, and create the entryway that is made for your home. You can also create an account to save your photos and favorite designs.

SCAN WITH YOUR SMARTPHONE



Color & Product Disclaimer

POWERED BY RENOWorks.

AVAILABILITY GUIDE

This Availability Guide can be used to determine if the door system you want can be built in the Width you need as recommended for your specific Region's structural and impact testing standards. Each row indicates one combination of Design, Build, Unit Height and Skin Type Options. You will be able to see what Unit Widths are available for each Region off to the right.

Availability for Double Door Units (-D) is the same as for the Single Door Units (-S) that use the same width door slabs.

WBD = Unit Widths that can only be built as recommended for Wind Borne Debris Region standards.

HVHZ = Unit Widths that can only be built as recommended for the tougher High Velocity Hurricane Zone Region standards.

BOTH = Units Widths that can be built as recommended to meet either Region's standards. You will need to specify which Region you wish to have this built for when ordering these. Units that meet HVHZ standards will also meet the WBD standards, but could cost more as they use some components manufactured with added reinforcements.

Please provide the Unit Code Prefix for your selection when placing your order. In addition to that, you'll need to specify a Single or Double Unit, and specify WBD or HVHZ for any option which shows BOTH available.

| PG# | UNIT CODE PREFIX | DESIGN | BUILD | UNIT HEIGHT | SKIN TYPE | 1/0 | 1/2 | 2/0-S 4/0-D | 2/4-S 4/8-D | 2/6-S 5/0-D | 2/8-S 5/4-D | 2/10-S 5/8-D | 3/0-S 6/0-D |
|-----|---------------------|----------------|------------------------|-------------|------------------|-------------|-------------|----------------|----------------|----------------|----------------|-----------------|----------------|
| 16 | DRS00-BLC- | BLANCA | FULL LITE | 6/8 | SMOOTH | | | | | BOTH | BOTH | BOTH | BOTH |
| 16 | DRG00-BLC- | BLANCA | FULL LITE | 6/8 | WOODGRAIN | | | | | BOTH | BOTH | BOTH | BOTH |
| 16 | DRS00-624BLC- | BLANCA | NARROW FULL LITE | 6/8 | SMOOTH | | | BOTH | BOTH | | | | |
| 16 | DRG00-624BLC- | BLANCA | NARROW FULL LITE | 6/8 | WOODGRAIN | | | BOTH | BOTH | | | | |
| 16 | DRS49-BLC- | BLANCA | 3/4 LITE OVER 2 PANELS | 6/8 | SMOOTH | | | | | | WBD | WBD | |
| 16 | DRG49-BLC- | BLANCA | 3/4 LITE OVER 2 PANELS | 6/8 | WOODGRAIN | | | | | | WBD | WBD | |
| 16 | DRS40-BLC- | BLANCA | 1/2 LITE OVER 2 PANELS | 6/8 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 16 | DRG40-BLC- | BLANCA | 1/2 LITE OVER 2 PANELS | 6/8 | WOODGRAIN | | | | | | WBD | BOTH | BOTH |
| 16 | DRS3F-BLC- | BLANCA | 1/4 LITE OVER 2 PANELS | 6/8 | SMOOTH | | | | | | WBD | WBD | |
| 16 | DRF3F-BLC- | BLANCA | 1/4 LITE OVER 2 PANELS | 6/8 | FIRGRAIN | | | | | | | WBD | |
| 16 | DRS40-651BLC- | BLANCA | 1/4 LITE OVER 4 PANELS | 6/8 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 16 | DRG40-651BLC- | BLANCA | 1/4 LITE OVER 4 PANELS | 6/8 | WOODGRAIN | | | | | | WBD | BOTH | |
| 16 | <i>SL500-BLC-</i> | <i>BLANCA</i> | <i>FULL LITE</i> | <i>6/8</i> | <i>SMOOTH</i> | <i>BOTH</i> | <i>BOTH</i> | | | | | | |
| 16 | <i>SLG00-BLC-</i> | <i>BLANCA</i> | <i>FULL LITE</i> | <i>6/8</i> | <i>WOODGRAIN</i> | <i>BOTH</i> | <i>BOTH</i> | | | | | | |
| 16 | DRS0080-BLC- | BLANCA | FULL LITE | 8/0 | SMOOTH | | | | | BOTH | BOTH | BOTH | BOTH |
| 16 | DRG0080-BLC- | BLANCA | FULL LITE | 8/0 | WOODGRAIN | | | | | HVHZ | BOTH | HVHZ | BOTH |
| 16 | DRS0080-487BLC- | BLANCA | FULL LITE | 8/0 | SMOOTH | | | BOTH | BOTH | | | | |
| 16 | DRG0080-487BLC- | BLANCA | NARROW FULL LITE | 8/0 | WOODGRAIN | | | HVHZ | | | | | |
| 16 | DRS3F80-BLC- | BLANCA | 1/4 LITE OVER 2 PANELS | 8/0 | SMOOTH | | | | | | | WBD | |
| 16 | DRF3F80-BLC- | BLANCA | 1/4 LITE OVER 2 PANELS | 8/0 | FIRGRAIN | | | | | | | WBD | |
| 16 | <i>SL50080-BLC-</i> | <i>BLANCA</i> | <i>FULL LITE</i> | <i>8/0</i> | <i>SMOOTH</i> | <i>BOTH</i> | <i>BOTH</i> | | | | | | |
| 16 | <i>SLG0080-BLC-</i> | <i>BLANCA</i> | <i>FULL LITE</i> | <i>8/0</i> | <i>WOODGRAIN</i> | <i>BOTH</i> | <i>BOTH</i> | | | | | | |
| 17 | DRS00-BTSN- | BRISTOL | FULL LITE | 6/8 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 17 | DRG00-BTSN- | BRISTOL | FULL LITE | 6/8 | WOODGRAIN | | | | | | BOTH | BOTH | BOTH |
| 17 | DRS0080-BTSN- | BRISTOL | FULL LITE | 8/0 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 17 | DRG0080-BTSN- | BRISTOL | FULL LITE | 8/0 | WOODGRAIN | | | | | | BOTH | HVHZ | BOTH |
| 17 | DRS2980-BTSN- | BRISTOL | 3/4 LITE OVER 1 PANEL | 8/0 | SMOOTH | | | | | | WBD | BOTH | |
| 17 | DRG2980-BTSN- | BRISTOL | 3/4 LITE OVER 1 PANEL | 8/0 | WOODGRAIN | | | | | | WBD | WBD | |
| 18 | DRS00-CD- | CADENCE | FULL LITE | 6/8 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 18 | DRG00-CD- | CADENCE | FULL LITE | 6/8 | WOODGRAIN | | | | | | BOTH | BOTH | BOTH |
| 18 | DRS49-CD- | CADENCE | 3/4 LITE OVER 2 PANELS | 6/8 | SMOOTH | | | | | | WBD | WBD | |
| 18 | DRG49-CD- | CADENCE | 3/4 LITE OVER 2 PANELS | 6/8 | WOODGRAIN | | | | | | WBD | WBD | |
| 18 | DRS40-651CD- | CADENCE | 1/4 LITE OVER 4 PANELS | 6/8 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 18 | DRG40-651CD- | CADENCE | 1/4 LITE OVER 4 PANELS | 6/8 | WOODGRAIN | | | | | | WBD | BOTH | |
| 18 | <i>SL500-CD-</i> | <i>CADENCE</i> | <i>FULL LITE</i> | <i>6/8</i> | <i>SMOOTH</i> | <i>BOTH</i> | <i>BOTH</i> | | | | | | |
| 18 | <i>SLG00-CD-</i> | <i>CADENCE</i> | <i>FULL LITE</i> | <i>6/8</i> | <i>WOODGRAIN</i> | <i>BOTH</i> | <i>BOTH</i> | | | | | | |
| 18 | DRS0080-CD- | CADENCE | FULL LITE | 8/0 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 18 | DRG0080-CD- | CADENCE | FULL LITE | 8/0 | WOODGRAIN | | | | | | BOTH | HVHZ | BOTH |
| 18 | <i>SL50080-CD-</i> | <i>CADENCE</i> | <i>FULL LITE</i> | <i>8/0</i> | <i>SMOOTH</i> | <i>BOTH</i> | <i>BOTH</i> | | | | | | |
| 18 | <i>SLG0080-CD-</i> | <i>CADENCE</i> | <i>FULL LITE</i> | <i>8/0</i> | <i>WOODGRAIN</i> | <i>BOTH</i> | <i>BOTH</i> | | | | | | |
| 19 | DRS00-CAMWIA- | CAMDEN A | FULL LITE | 6/8 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 19 | DRG00-CAMWIA- | CAMDEN A | FULL LITE | 6/8 | WOODGRAIN | | | | | | BOTH | BOTH | BOTH |
| 19 | DRS00-CAMWIB- | CAMDEN B | FULL LITE | 6/8 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 19 | DRG00-CAMWIB- | CAMDEN B | FULL LITE | 6/8 | WOODGRAIN | | | | | | BOTH | BOTH | BOTH |
| 19 | DRS0080-CAMWIA- | CAMDEN A | FULL LITE | 8/0 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 19 | DRG0080-CAMWIA- | CAMDEN A | FULL LITE | 8/0 | WOODGRAIN | | | | | | BOTH | HVHZ | BOTH |
| 19 | DRS0080-CAMWIB- | CAMDEN B | FULL LITE | 8/0 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 19 | DRG0080-CAMWIB- | CAMDEN B | FULL LITE | 8/0 | WOODGRAIN | | | | | | BOTH | HVHZ | BOTH |

AVAILABILITY GUIDE

| PG# | UNIT CODE PREFIX | DESIGN | BUILD | UNIT HEIGHT | SKIN TYPE | 1/0 | 1/2 | 2/0-S 4/0-D | 2/4-S 4/8-D | 2/6-S 5/0-D | 2/8-S 5/4-D | 2/10-S 5/8-D | 3/0-S 6/0-D | | |
|-----|---------------------|--------------------------|------------------------|-------------|------------------|-------------|-------------|----------------|----------------|----------------|----------------|-----------------|----------------|-------------|-------------|
| 19 | DRS2980-CAMWIA- | CAMDEN A | 3/4 LITE OVER 1 PANEL | 8/0 | SMOOTH | | | | | | | WBD | BOTH | | |
| 19 | DRG2980-CAMWIA- | CAMDEN A | 3/4 LITE OVER 1 PANEL | 8/0 | WOODGRAIN | | | | | | | WBD | WBD | | |
| 19 | DRS2980-CAMWIB- | CAMDEN B | 3/4 LITE OVER 1 PANEL | 8/0 | SMOOTH | | | | | | | WBD | BOTH | | |
| 19 | DRG2980-CAMWIB- | CAMDEN B | 3/4 LITE OVER 1 PANEL | 8/0 | WOODGRAIN | | | | | | | WBD | WBD | | |
| 20 | DRS3F-CLBO- | CELEBRATION OCEAN | 1/4 LITE OVER 2 PANELS | 6/8 | SMOOTH | | | | | | | WBD | WBD | | |
| 20 | DRF3F-CLBO- | CELEBRATION OCEAN | 1/4 LITE OVER 2 PANELS | 6/8 | FIRGRAIN | | | | | | | WBD | | | |
| 20 | DRS6C-CLBO- | CELEBRATION OCEAN | 1/4 LITE OVER 3 PANELS | 6/8 | SMOOTH | | | | | | | | WBD | | |
| 20 | DRG6C-CLBO- | CELEBRATION OCEAN | 1/4 LITE OVER 3 PANELS | 6/8 | WOODGRAIN | | | | | | | | WBD | | |
| 20 | <i>SL500-CLBO-</i> | <i>CELEBRATION OCEAN</i> | <i>FULL LITE</i> | <i>6/8</i> | <i>SMOOTH</i> | <i>BOTH</i> | <i>BOTH</i> | | | | | | | | |
| 20 | <i>SLG00-CLBO-</i> | <i>CELEBRATION OCEAN</i> | <i>FULL LITE</i> | <i>6/8</i> | <i>WOODGRAIN</i> | <i>BOTH</i> | <i>BOTH</i> | | | | | | | | |
| 20 | DRS3F80-CLBO- | CELEBRATION OCEAN | 1/4 LITE OVER 2 PANELS | 8/0 | SMOOTH | | | | | | | | WBD | | |
| 20 | DRF3F80-CLBO- | CELEBRATION OCEAN | 1/4 LITE OVER 2 PANELS | 8/0 | FIRGRAIN | | | | | | | | WBD | | |
| 21 | DRS00-CHA- | CHINCHILLA | FULL LITE | 6/8 | SMOOTH | | | | | | | BOTH | BOTH | BOTH | |
| 21 | DRG00-CHA- | CHINCHILLA | FULL LITE | 6/8 | WOODGRAIN | | | | | | | BOTH | BOTH | BOTH | |
| 21 | DRS29-CHA- | CHINCHILLA | 3/4 LITE OVER 1 PANEL | 6/8 | SMOOTH | | | | | | | WBD | BOTH | | |
| 21 | DRG29-CHA- | CHINCHILLA | 3/4 LITE OVER 1 PANEL | 6/8 | WOODGRAIN | | | | | | | | WBD | | |
| 21 | DRS40-CHA- | CHINCHILLA | 1/2 LITE OVER 2 PANELS | 6/8 | SMOOTH | | | | | | | BOTH | BOTH | BOTH | |
| 21 | DRG40-CHA- | CHINCHILLA | 1/2 LITE OVER 2 PANELS | 6/8 | WOODGRAIN | | | | | | | WBD | BOTH | | |
| 21 | <i>SL500-CHA-</i> | <i>CHINCHILLA</i> | <i>FULL LITE</i> | <i>6/8</i> | <i>SMOOTH</i> | <i>BOTH</i> | <i>BOTH</i> | | | | | | | | |
| 21 | <i>SLG00-CHA-</i> | <i>CHINCHILLA</i> | <i>FULL LITE</i> | <i>6/8</i> | <i>WOODGRAIN</i> | <i>BOTH</i> | <i>BOTH</i> | | | | | | | | |
| 21 | DRS0080-CHA- | CHINCHILLA | FULL LITE | 8/0 | SMOOTH | | | | | | | BOTH | BOTH | BOTH | |
| 21 | DRG0080-CHA- | CHINCHILLA | FULL LITE | 8/0 | WOODGRAIN | | | | | | | BOTH | HVHZ | BOTH | |
| 21 | <i>SL50080-CHA-</i> | <i>CHINCHILLA</i> | <i>FULL LITE</i> | <i>8/0</i> | <i>SMOOTH</i> | <i>BOTH</i> | <i>BOTH</i> | | | | | | | | |
| 21 | <i>SLG0080-CHA-</i> | <i>CHINCHILLA</i> | <i>FULL LITE</i> | <i>8/0</i> | <i>WOODGRAIN</i> | <i>BOTH</i> | <i>BOTH</i> | | | | | | | | |
| 22 | DRS00-CWK- | CROSSWALK | FULL LITE | 6/8 | SMOOTH | | | | | | | BOTH | BOTH | BOTH | |
| 22 | DRG00-CWK- | CROSSWALK | FULL LITE | 6/8 | WOODGRAIN | | | | | | | BOTH | BOTH | BOTH | |
| 22 | <i>SL500-CWK-</i> | <i>CROSSWALK</i> | <i>FULL LITE</i> | <i>6/8</i> | <i>SMOOTH</i> | <i>BOTH</i> | <i>BOTH</i> | | | | | | | | |
| 22 | <i>SLG00-CWK-</i> | <i>CROSSWALK</i> | <i>FULL LITE</i> | <i>6/8</i> | <i>WOODGRAIN</i> | <i>BOTH</i> | <i>BOTH</i> | | | | | | | | |
| 22 | DRS0080-CWK- | CROSSWALK | FULL LITE | 8/0 | SMOOTH | | | | | | | BOTH | BOTH | BOTH | |
| 22 | DRG0080-CWK- | CROSSWALK | FULL LITE | 8/0 | WOODGRAIN | | | | | | | BOTH | HVHZ | BOTH | |
| 22 | <i>SL50080-CWK-</i> | <i>CROSSWALK</i> | <i>FULL LITE</i> | <i>8/0</i> | <i>SMOOTH</i> | <i>BOTH</i> | <i>BOTH</i> | | | | | | | | |
| 22 | <i>SLG0080-CWK-</i> | <i>CROSSWALK</i> | <i>FULL LITE</i> | <i>8/0</i> | <i>WOODGRAIN</i> | <i>BOTH</i> | <i>BOTH</i> | | | | | | | | |
| 23 | DRS00-DOR- | DORIAN | FULL LITE | 6/8 | SMOOTH | | | | | | | | BOTH | BOTH | BOTH |
| 23 | DRG00-DOR- | DORIAN | FULL LITE | 6/8 | WOODGRAIN | | | | | | | | BOTH | BOTH | BOTH |
| 23 | DRS29-DOR- | DORIAN | 3/4 LITE OVER 1 PANEL | 6/8 | SMOOTH | | | | | | | | WBD | BOTH | |
| 23 | DRG29-DOR- | DORIAN | 3/4 LITE OVER 1 PANEL | 6/8 | WOODGRAIN | | | | | | | | | WBD | |
| 23 | <i>SL500-DOR-</i> | <i>DORIAN</i> | <i>FULL LITE</i> | <i>6/8</i> | <i>SMOOTH</i> | <i>BOTH</i> | <i>BOTH</i> | | | | | | | | |
| 23 | <i>SLG00-DOR-</i> | <i>DORIAN</i> | <i>FULL LITE</i> | <i>6/8</i> | <i>WOODGRAIN</i> | <i>BOTH</i> | <i>BOTH</i> | | | | | | | | |
| 23 | DRS0080-DOR- | DORIAN | FULL LITE | 8/0 | SMOOTH | | | | | | | | BOTH | BOTH | BOTH |
| 23 | DRG0080-DOR- | DORIAN | FULL LITE | 8/0 | WOODGRAIN | | | | | | | | BOTH | HVHZ | BOTH |
| 23 | <i>SL50080-DOR-</i> | <i>DORIAN</i> | <i>FULL LITE</i> | <i>8/0</i> | <i>SMOOTH</i> | <i>BOTH</i> | <i>BOTH</i> | | | | | | | | |
| 23 | <i>SLG0080-DOR-</i> | <i>DORIAN</i> | <i>FULL LITE</i> | <i>8/0</i> | <i>WOODGRAIN</i> | <i>BOTH</i> | <i>BOTH</i> | | | | | | | | |
| 24 | DRS00-ENTBCA- | ENTROPY A | FULL LITE | 6/8 | SMOOTH | | | | | | | | BOTH | BOTH | BOTH |
| 24 | DRG00-ENTBCA- | ENTROPY A | FULL LITE | 6/8 | WOODGRAIN | | | | | | | | BOTH | BOTH | BOTH |
| 24 | DRS00-ENTBCB- | ENTROPY B | FULL LITE | 6/8 | SMOOTH | | | | | | | | BOTH | BOTH | BOTH |
| 24 | DRG00-ENTBCB- | ENTROPY B | FULL LITE | 6/8 | WOODGRAIN | | | | | | | | BOTH | BOTH | BOTH |
| 24 | DRS0080-ENTBCA- | ENTROPY A | FULL LITE | 8/0 | SMOOTH | | | | | | | | BOTH | BOTH | BOTH |
| 24 | DRG0080-ENTBCA- | ENTROPY A | FULL LITE | 8/0 | WOODGRAIN | | | | | | | | BOTH | HVHZ | BOTH |
| 24 | DRS0080-ENTBCB- | ENTROPY B | FULL LITE | 8/0 | SMOOTH | | | | | | | | BOTH | BOTH | BOTH |
| 24 | DRG0080-ENTBCB- | ENTROPY B | FULL LITE | 8/0 | WOODGRAIN | | | | | | | | BOTH | HVHZ | BOTH |
| 24 | DRS2980-ENTBCA- | ENTROPY A | 3/4 LITE OVER 1 PANEL | 8/0 | SMOOTH | | | | | | | | WBD | BOTH | |
| 24 | DRG2980-ENTBCA- | ENTROPY A | 3/4 LITE OVER 1 PANEL | 8/0 | WOODGRAIN | | | | | | | | WBD | WBD | |
| 24 | DRS2980-ENTBCB- | ENTROPY B | 3/4 LITE OVER 1 PANEL | 8/0 | SMOOTH | | | </ | | | | | | | |

AVAILABILITY GUIDE

| PG# | UNIT CODE PREFIX | DESIGN | BUILD | UNIT HEIGHT | SKIN TYPE | 1/0 | 1/2 | 2/0-S 4/0-D | 2/4-S 4/8-D | 2/6-S 5/0-D | 2/8-S 5/4-D | 2/10-S 5/8-D | 3/0-S 6/0-D |
|-----|------------------|---------------|------------------------|-------------|-----------|------|------|----------------|----------------|----------------|----------------|-----------------|----------------|
| 26 | DRS49-HM- | HEIRLOOMS | 3/4 LITE OVER 2 PANELS | 6/8 | SMOOTH | | | | | | WBD | | WBD |
| 26 | DRG49-HM- | HEIRLOOMS | 3/4 LITE OVER 2 PANELS | 6/8 | WOODGRAIN | | | | | | WBD | | WBD |
| 26 | DRS40-HM- | HEIRLOOMS | 1/2 LITE OVER 2 PANELS | 6/8 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 26 | DRG40-HM- | HEIRLOOMS | 1/2 LITE OVER 2 PANELS | 6/8 | WOODGRAIN | | | | | | WBD | | BOTH |
| 26 | SLG00-HM- | HEIRLOOMS | FULL LITE | 6/8 | SMOOTH | BOTH | BOTH | | | | | | |
| 26 | SLG00-HM- | HEIRLOOMS | FULL LITE | 6/8 | WOODGRAIN | BOTH | BOTH | | | | | | |
| 26 | DRS0080-HM- | HEIRLOOMS | FULL LITE | 8/0 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 26 | DRG0080-HM- | HEIRLOOMS | FULL LITE | 8/0 | WOODGRAIN | | | | | | BOTH | HVHZ | BOTH |
| 26 | SLG0080-HM- | HEIRLOOMS | FULL LITE | 8/0 | SMOOTH | BOTH | BOTH | | | | | | |
| 26 | SLG0080-M- | HEIRLOOMS | FULL LITE | 8/0 | WOODGRAIN | BOTH | BOTH | | | | | | |
| 27 | DRS00-JA- | JACINTO | FULL LITE | 6/8 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 27 | DRG00-JA- | JACINTO | FULL LITE | 6/8 | WOODGRAIN | | | | | | BOTH | BOTH | BOTH |
| 27 | DRS29-JA- | JACINTO | 3/4 LITE OVER 1 PANEL | 6/8 | SMOOTH | | | | | | WBD | | BOTH |
| 27 | DRG29-JA- | JACINTO | 3/4 LITE OVER 1 PANEL | 6/8 | WOODGRAIN | | | | | | | | WBD |
| 27 | SLG00-JA- | JACINTO | FULL LITE | 6/8 | SMOOTH | BOTH | BOTH | | | | | | |
| 27 | SLG00-JA- | JACINTO | FULL LITE | 6/8 | WOODGRAIN | BOTH | BOTH | | | | | | |
| 27 | DRS0080-JA- | JACINTO | FULL LITE | 8/0 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 27 | DRG0080-JA- | JACINTO | FULL LITE | 8/0 | WOODGRAIN | | | | | | BOTH | HVHZ | BOTH |
| 27 | DRS2980-JA- | JACINTO | 3/4 LITE OVER 1 PANEL | 8/0 | SMOOTH | | | | | | WBD | | BOTH |
| 27 | DRG2980-JA- | JACINTO | 3/4 LITE OVER 1 PANEL | 8/0 | WOODGRAIN | | | | | | WBD | | WBD |
| 27 | SLG0080-JA- | JACINTO | FULL LITE | 8/0 | SMOOTH | BOTH | BOTH | | | | | | |
| 27 | SLG0080-JA- | JACINTO | FULL LITE | 8/0 | WOODGRAIN | BOTH | BOTH | | | | | | |
| 28 | DRS00-LNN- | LINEN | FULL LITE | 6/8 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 28 | DRG00-LNN- | LINEN | FULL LITE | 6/8 | WOODGRAIN | | | | | | BOTH | BOTH | BOTH |
| 28 | DRS49-LNN- | LINEN | 3/4 LITE OVER 2 PANELS | 6/8 | SMOOTH | | | | | | WBD | | WBD |
| 28 | DRG49-LNN- | LINEN | 3/4 LITE OVER 2 PANELS | 6/8 | WOODGRAIN | | | | | | WBD | | WBD |
| 28 | DRS40-LNN- | LINEN | 1/2 LITE OVER 2 PANELS | 6/8 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 28 | DRG40-LNN- | LINEN | 1/2 LITE OVER 2 PANELS | 6/8 | WOODGRAIN | | | | | | WBD | | BOTH |
| 28 | SLG00-LNN- | LINEN | FULL LITE | 6/8 | SMOOTH | BOTH | BOTH | | | | | | |
| 28 | SLG00-LNN- | LINEN | FULL LITE | 6/8 | WOODGRAIN | BOTH | BOTH | | | | | | |
| 28 | DRS0080-LNN- | LINEN | FULL LITE | 8/0 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 28 | DRG0080-LNN- | LINEN | FULL LITE | 8/0 | WOODGRAIN | | | | | | BOTH | HVHZ | BOTH |
| 28 | SLG0080-LNN- | LINEN | FULL LITE | 8/0 | SMOOTH | BOTH | BOTH | | | | | | |
| 28 | SLG0080-LNN- | LINEN | FULL LITE | 8/0 | WOODGRAIN | BOTH | BOTH | | | | | | |
| 29 | DRS00-ME- | MAJESTIC | FULL LITE | 6/8 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 29 | DRG00-ME- | MAJESTIC | FULL LITE | 6/8 | WOODGRAIN | | | | | | BOTH | BOTH | BOTH |
| 29 | DRS40-ME- | MAJESTIC | 1/2 LITE OVER 2 PANELS | 6/8 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 29 | DRG40-ME- | MAJESTIC | 1/2 LITE OVER 2 PANELS | 6/8 | WOODGRAIN | | | | | | WBD | | BOTH |
| 29 | DRS40-651ME- | MAJESTIC | 1/4 LITE OVER 4 PANELS | 6/8 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 29 | DRG40-651ME- | MAJESTIC | 1/4 LITE OVER 4 PANELS | 6/8 | WOODGRAIN | | | | | | WBD | | BOTH |
| 29 | SLG00-ME- | MAJESTIC | FULL LITE | 6/8 | SMOOTH | BOTH | BOTH | | | | | | |
| 29 | SLG00-ME- | MAJESTIC | FULL LITE | 6/8 | WOODGRAIN | BOTH | BOTH | | | | | | |
| 29 | DRS0080-ME- | MAJESTIC | FULL LITE | 8/0 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 29 | DRG0080-ME- | MAJESTIC | FULL LITE | 8/0 | WOODGRAIN | | | | | | BOTH | HVHZ | BOTH |
| 29 | SLG0080-ME- | MAJESTIC | FULL LITE | 8/0 | SMOOTH | BOTH | BOTH | | | | | | |
| 29 | SLG0080-ME- | MAJESTIC | FULL LITE | 8/0 | WOODGRAIN | BOTH | BOTH | | | | | | |
| 30 | DRS00-MG- | MICRO GRANITE | FULL LITE | 6/8 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 30 | DRG00-MG- | MICRO GRANITE | FULL LITE | 6/8 | WOODGRAIN | | | | | | BOTH | BOTH | BOTH |
| 30 | DRS00-624MG- | MICRO GRANITE | NARROW FULL LITE | 6/8 | SMOOTH | | | | | | BOTH | BOTH | |
| 30 | DRG00-624MG- | MICRO GRANITE | NARROW FULL LITE | 6/8 | WOODGRAIN | | | | | | BOTH | BOTH | |
| 30 | DRS40-MG- | MICRO GRANITE | 1/2 LITE OVER 2 PANELS | 6/8 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 30 | DRG40-MG- | MICRO GRANITE | 1/2 LITE OVER 2 PANELS | 6/8 | WOODGRAIN | | | | | | WBD | | BOTH |
| 30 | SLG00-MG- | MICRO GRANITE | FULL LITE | 6/8 | SMOOTH | BOTH | BOTH | | | | | | |
| 30 | SLG00-MG- | MICRO GRANITE | FULL LITE | 6/8 | WOODGRAIN | BOTH | BOTH | | | | | | |
| 30 | DRS0080-MG- | MICRO GRANITE | FULL LITE | 8/0 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 30 | DRG0080-MG- | MICRO GRANITE | FULL LITE | 8/0 | WOODGRAIN | | | | | | BOTH | HVHZ | BOTH |
| 30 | SLG0080-MG- | MICRO GRANITE | FULL LITE | 8/0 | SMOOTH | BOTH | BOTH | | | | | | |
| 30 | SLG0080-MG- | MICRO GRANITE | FULL LITE | 8/0 | WOODGRAIN | BOTH | BOTH | | | | | | |
| 31 | DRS00-MYB- | MISTIFY BLACK | FULL LITE | 6/8 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 31 | DRG00-MYB- | MISTIFY BLACK | FULL LITE | 6/8 | WOODGRAIN | | | | | | BOTH | BOTH | BOTH |
| 31 | DRS00-MYB6L- | MISTIFY BLACK | FULL 6 LITE | 6/8 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 31 | DRG00-MYB6L- | MISTIFY BLACK | FULL 6 LITE | 6/8 | WOODGRAIN | | | | | | BOTH | BOTH | BOTH |
| 31 | DRS29-MYB- | MISTIFY BLACK | 3/4 LITE OVER 1 PANEL | 6/8 | SMOOTH | | | | | | WBD | | BOTH |
| 31 | DRG29-MYB- | MISTIFY BLACK | 3/4 LITE OVER 1 PANEL | 6/8 | WOODGRAIN | | | | | | | | WBD |

AVAILABILITY GUIDE

| PG# | UNIT CODE PREFIX | DESIGN | BUILD | UNIT HEIGHT | SKIN TYPE | 1/0 | 1/2 | 2/0-S 4/0-D | 2/4-S 4/8-D | 2/6-S 5/0-D | 2/8-S 5/4-D | 2/10-S 5/8-D | 3/0-S 6/0-D |
|-----|------------------|---------------------|-------------------------|-------------|-----------|------|------|----------------|----------------|----------------|----------------|-----------------|----------------|
| 31 | DRS29-MYB4L- | MISTIFY BLACK | 3/4 4 LITE OVER 1 PANEL | 6/8 | SMOOTH | | | | | | | WBD | BOTH |
| 31 | DRG29-MYB4L- | MISTIFY BLACK | 3/4 4 LITE OVER 1 PANEL | 6/8 | WOODGRAIN | | | | | | | | WBD |
| 31 | SLG00-MYB- | MISTIFY BLACK | FULL LITE | 6/8 | SMOOTH | BOTH | BOTH | | | | | | |
| 31 | SLG00-MYB- | MISTIFY BLACK | FULL LITE | 6/8 | WOODGRAIN | BOTH | BOTH | | | | | | |
| 31 | DRS0080-MYB- | MISTIFY BLACK | FULL LITE | 8/0 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 31 | DRG0080-MYB- | MISTIFY BLACK | FULL LITE | 8/0 | WOODGRAIN | | | | | | BOTH | HVHZ | BOTH |
| 31 | DRS2980-MYB- | MISTIFY BLACK | 3/4 LITE OVER 1 PANEL | 8/0 | SMOOTH | | | | | | WBD | | BOTH |
| 31 | DRG2980-MYB- | MISTIFY BLACK | 3/4 LITE OVER 1 PANEL | 8/0 | WOODGRAIN | | | | | | WBD | | WBD |
| 31 | SLG0080-MYB- | MISTIFY BLACK | FULL LITE | 8/0 | SMOOTH | BOTH | BOTH | | | | | | |
| 31 | SLG0080-MYB- | MISTIFY BLACK | FULL LITE | 8/0 | WOODGRAIN | BOTH | BOTH | | | | | | |
| 32 | DRS00-MYW- | MISTIFY WHITE | FULL LITE | 6/8 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 32 | DRG00-MYW- | MISTIFY WHITE | FULL LITE | 6/8 | WOODGRAIN | | | | | | BOTH | BOTH | BOTH |
| 32 | DRS29-MYW- | MISTIFY WHITE | 3/4 LITE OVER 1 PANEL | 6/8 | SMOOTH | | | | | | WBD | | BOTH |
| 32 | DRG29-MYW- | MISTIFY WHITE | 3/4 LITE OVER 1 PANEL | 6/8 | WOODGRAIN | | | | | | | | WBD |
| 32 | SLG00-MYW- | MISTIFY WHITE | FULL LITE | 6/8 | SMOOTH | BOTH | BOTH | | | | | | |
| 32 | SLG00-MYW- | MISTIFY WHITE | FULL LITE | 6/8 | WOODGRAIN | BOTH | BOTH | | | | | | |
| 32 | DRS2980-MYW- | MISTIFY WHITE | 3/4 LITE OVER 1 PANEL | 8/0 | SMOOTH | | | | | | WBD | | BOTH |
| 32 | DRG2980-MYW- | MISTIFY WHITE | 3/4 LITE OVER 1 PANEL | 8/0 | WOODGRAIN | | | | | | WBD | | WBD |
| 33 | DRS00-MOH- | MOHAVE | FULL LITE | 6/8 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 33 | DRG00-MOH- | MOHAVE | FULL LITE | 6/8 | WOODGRAIN | | | | | | BOTH | BOTH | BOTH |
| 33 | DRS40-MOH- | MOHAVE | 1/2 LITE OVER 2 PANELS | 6/8 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 33 | DRG40-MOH- | MOHAVE | 1/2 LITE OVER 2 PANELS | 6/8 | WOODGRAIN | | | | | | WBD | | BOTH |
| 33 | SLG00-MOH- | MOHAVE | FULL LITE | 6/8 | SMOOTH | BOTH | BOTH | | | | | | |
| 33 | SLG00-MOH- | MOHAVE | FULL LITE | 6/8 | WOODGRAIN | BOTH | BOTH | | | | | | |
| 33 | DRS0080-MOH- | MOHAVE | FULL LITE | 8/0 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 33 | DRG0080-MOH- | MOHAVE | FULL LITE | 8/0 | WOODGRAIN | | | | | | BOTH | HVHZ | BOTH |
| 33 | DRS2980-MOH- | MOHAVE | 3/4 LITE OVER 1 PANEL | 8/0 | SMOOTH | | | | | | WBD | | BOTH |
| 33 | DRG2980-MOH- | MOHAVE | 3/4 LITE OVER 1 PANEL | 8/0 | WOODGRAIN | | | | | | WBD | | WBD |
| 33 | SLG0080-MOH- | MOHAVE | FULL LITE | 8/0 | SMOOTH | BOTH | BOTH | | | | | | |
| 33 | SLG0080-MOH- | MOHAVE | FULL LITE | 8/0 | WOODGRAIN | BOTH | BOTH | | | | | | |
| 34 | DRS00-PPZNC-A | PARK PLACE A | FULL LITE | 6/8 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 34 | DRG00-PPZNC-A | PARK PLACE A | FULL LITE | 6/8 | WOODGRAIN | | | | | | BOTH | BOTH | BOTH |
| 34 | DRS00-PPZNC-B | PARK PLACE B | FULL LITE | 6/8 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 34 | DRG00-PPZNC-B | PARK PLACE B | FULL LITE | 6/8 | WOODGRAIN | | | | | | BOTH | BOTH | BOTH |
| 34 | DRS0080-PPZNC-A | PARK PLACE A | FULL LITE | 8/0 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 34 | DRG0080-PPZNC-A | PARK PLACE A | FULL LITE | 8/0 | WOODGRAIN | | | | | | BOTH | HVHZ | BOTH |
| 34 | DRS0080-PPZNC-B | PARK PLACE B | FULL LITE | 8/0 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 34 | DRG0080-PPZNC-B | PARK PLACE B | FULL LITE | 8/0 | WOODGRAIN | | | | | | BOTH | HVHZ | BOTH |
| 34 | DRS2980-PPZNC-A | PARK PLACE A | 3/4 LITE OVER 1 PANEL | 8/0 | SMOOTH | | | | | | WBD | | BOTH |
| 34 | DRG2980-PPZNC-A | PARK PLACE A | 3/4 LITE OVER 1 PANEL | 8/0 | WOODGRAIN | | | | | | WBD | | WBD |
| 34 | DRS2980-PPZNC-B | PARK PLACE B | 3/4 LITE OVER 1 PANEL | 8/0 | SMOOTH | | | | | | WBD | | BOTH |
| 34 | DRG2980-PPZNC-B | PARK PLACE B | 3/4 LITE OVER 1 PANEL | 8/0 | WOODGRAIN | | | | | | WBD | | WBD |
| 35 | DRS00-RN- | RAIN | FULL LITE | 6/8 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 35 | DRG00-RN- | RAIN | FULL LITE | 6/8 | WOODGRAIN | | | | | | BOTH | BOTH | BOTH |
| 35 | DRS49-RN- | RAIN | 3/4 LITE OVER 2 PANELS | 6/8 | SMOOTH | | | | | | WBD | | WBD |
| 35 | DRG49-RN- | RAIN | 3/4 LITE OVER 2 PANELS | 6/8 | WOODGRAIN | | | | | | WBD | | WBD |
| 35 | DRS40-RN- | RAIN | 1/2 LITE OVER 2 PANELS | 6/8 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 35 | DRG40-RN- | RAIN | 1/2 LITE OVER 2 PANELS | 6/8 | WOODGRAIN | | | | | | WBD | | BOTH |
| 35 | DRS3F-RN- | RAIN | 1/4 LITE OVER 2 PANELS | 6/8 | SMOOTH | | | | | | WBD | | WBD |
| 35 | DRF3F-RN- | RAIN | 1/4 LITE OVER 2 PANELS | 6/8 | FIRGRAIN | | | | | | | | WBD |
| 35 | SLG00-RN- | RAIN | FULL LITE | 6/8 | SMOOTH | BOTH | BOTH | | | | | | |
| 35 | SLG00-RN- | RAIN | FULL LITE | 6/8 | WOODGRAIN | BOTH | BOTH | | | | | | |
| 35 | DRS0080-RN- | RAIN | FULL LITE | 8/0 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 35 | DRG0080-RN- | RAIN | FULL LITE | 8/0 | WOODGRAIN | | | | | | HVHZ | BOTH | HVHZ |
| 35 | SLG0080-RN- | RAIN | FULL LITE | 8/0 | SMOOTH | BOTH | BOTH | | | | | | |
| 35 | SLG0080-RN- | RAIN | FULL LITE | 8/0 | WOODGRAIN | BOTH | BOTH | | | | | | |
| 36 | DRS00-RLI- | RENEWED IMPRESSIONS | FULL LITE | 6/8 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 36 | DRG00-RLI- | RENEWED IMPRESSIONS | FULL LITE | 6/8 | WOODGRAIN | | | | | | BOTH | BOTH | BOTH |
| 36 | DRS40-RLI- | RENEWED IMPRESSIONS | 1/2 LITE OVER 2 PANELS | 6/8 | SMOOTH | | | | | | | | |

AVAILABILITY GUIDE

| PG# | UNIT CODE PREFIX | DESIGN | BUILD | UNIT HEIGHT | SKIN TYPE | 1/0 | 1/2 | 2/0-S 4/0-D | 2/4-S 4/8-D | 2/6-S 5/0-D | 2/8-S 5/4-D | 2/10-S 5/8-D | 3/0-S 6/0-D |
|-----|------------------|-----------------------|--------------------------|-------------|-----------|------|------|----------------|----------------|----------------|----------------|-----------------|----------------|
| 50 | DRS40-GBG9L- | GRILLES BETWEEN GLASS | 1/2 9 LITE OVER 2 PANELS | 6/8 | SMOOTH | | | | | BOTH | BOTH | BOTH | |
| 50 | DRG40-GBG9L- | GRILLES BETWEEN GLASS | 1/2 9 LITE OVER 2 PANELS | 6/8 | WOODGRAIN | | | | | | | | BOTH |
| 50 | SL500-GBG5L- | GRILLES BETWEEN GLASS | FULL 5 LITE | 6/8 | SMOOTH | BOTH | BOTH | | | | | | |
| 50 | SLG00-GBG5L- | GRILLES BETWEEN GLASS | FULL 5 LITE | 6/8 | WOODGRAIN | BOTH | BOTH | | | | | | |
| 51 | DRS0080-GBG12L- | GRILLES BETWEEN GLASS | FULL 12 LITE | 8/0 | SMOOTH | | | | | BOTH | BOTH | BOTH | BOTH |
| 51 | DRG0080-GBG12L- | GRILLES BETWEEN GLASS | FULL 12 LITE | 8/0 | WOODGRAIN | | | | | HVHZ | BOTH | HVHZ | BOTH |
| 51 | DRS0080-GBG18L- | GRILLES BETWEEN GLASS | FULL 18 LITE | 8/0 | SMOOTH | | | | | BOTH | BOTH | BOTH | BOTH |
| 51 | DRG0080-GBG18L- | GRILLES BETWEEN GLASS | FULL 18 LITE | 8/0 | WOODGRAIN | | | | | HVHZ | BOTH | HVHZ | BOTH |
| 51 | SL50080-GBG6L- | GRILLES BETWEEN GLASS | FULL 6 LITE | 8/0 | SMOOTH | BOTH | BOTH | | | | | | |
| 51 | SLG0080-GBG6L- | GRILLES BETWEEN GLASS | FULL 6 LITE | 8/0 | WOODGRAIN | BOTH | BOTH | | | | | | |
| 51 | DRS00-GBGPR- | GRILLES BETWEEN GLASS | PRAIRIE FULL LITE | 6/8 | SMOOTH | | | | | BOTH | BOTH | BOTH | BOTH |
| 51 | DRG00-GBGPR- | GRILLES BETWEEN GLASS | PRAIRIE FULL LITE | 6/8 | WOODGRAIN | | | | | BOTH | BOTH | BOTH | BOTH |
| 51 | SL500-GBGPR- | GRILLES BETWEEN GLASS | PRAIRIE FULL LITE | 6/8 | SMOOTH | BOTH | BOTH | | | | | | |
| 51 | SLG00-GBGPR- | GRILLES BETWEEN GLASS | PRAIRIE FULL LITE | 6/8 | WOODGRAIN | BOTH | BOTH | | | | | | |
| 51 | DRS0080-GBGPR- | GRILLES BETWEEN GLASS | PRAIRIE FULL LITE | 8/0 | SMOOTH | | | | | BOTH | BOTH | BOTH | |
| 51 | DRG0080-GBGPR- | GRILLES BETWEEN GLASS | PRAIRIE FULL LITE | 8/0 | WOODGRAIN | | | | | BOTH | HVHZ | BOTH | |
| 52 | DRS00-CLE- | ONE LITES | FULL LITE | 6/8 | SMOOTH | | | | | BOTH | BOTH | BOTH | BOTH |
| 52 | DRG00-CLE- | ONE LITES | FULL LITE | 6/8 | WOODGRAIN | | | | | BOTH | BOTH | BOTH | BOTH |
| 52 | DRS00-850CLE- | ONE LITES | ADA FULL LITE | 6/8 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 52 | DRG00-850CLE- | ONE LITES | ADA FULL LITE | 6/8 | WOODGRAIN | | | | | | BOTH | BOTH | BOTH |
| 52 | DRS00-624CLE- | ONE LITES | NARROW FULL LITE | 6/8 | SMOOTH | | | | | BOTH | BOTH | | |
| 52 | DRG00-624CLE- | ONE LITES | NARROW FULL LITE | 6/8 | WOODGRAIN | | | | | BOTH | BOTH | | |
| 52 | DRS49-CLE- | ONE LITES | 3/4 LITE OVER 2 PANELS | 6/8 | SMOOTH | | | | | | | | WBD |
| 52 | DRG49-CLE- | ONE LITES | 3/4 LITE OVER 2 PANELS | 6/8 | WOODGRAIN | | | | | | | | WBD |
| 52 | DRS40-CLE- | ONE LITES | 1/2 LITE OVER 2 PANELS | 6/8 | SMOOTH | | | | | | BOTH | BOTH | |
| 52 | DRG40-CLE- | ONE LITES | 1/2 LITE OVER 2 PANELS | 6/8 | WOODGRAIN | | | | | | WBD | | BOTH |
| 52 | DRS3F-CLE- | ONE LITES | 1/4 LITE OVER 2 PANELS | 6/8 | SMOOTH | | | | | | WBD | | WBD |
| 52 | DRF3F-CLE- | ONE LITES | 1/4 LITE OVER 2 PANELS | 6/8 | FIRGRAIN | | | | | | | | WBD |
| 52 | DRS40-651CLE- | ONE LITES | 1/4 LITE OVER 4 PANELS | 6/8 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 52 | DRG40-651CLE- | ONE LITES | 1/4 LITE OVER 4 PANELS | 6/8 | WOODGRAIN | | | | | | WBD | | BOTH |
| 52 | SL500-CLE- | ONE LITES | FULL LITE | 6/8 | WOODGRAIN | BOTH | BOTH | | | | | | |
| 52 | SLG00-CLE- | ONE LITES | FULL LITE | 6/8 | WOODGRAIN | BOTH | BOTH | | | | | | |
| 53 | DRS0080-CLE- | ONE LITES | FULL LITE | 8/0 | SMOOTH | | | | | BOTH | BOTH | BOTH | BOTH |
| 53 | DRG0080-CLE- | ONE LITES | FULL LITE | 8/0 | WOODGRAIN | | | | | HVHZ | BOTH | HVHZ | BOTH |
| 52 | DRS00-855CLE- | ONE LITES | ADA FULL LITE | 8/0 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 52 | DRG00-855CLE- | ONE LITES | ADA FULL LITE | 8/0 | WOODGRAIN | | | | | | BOTH | BOTH | BOTH |
| 53 | DRS0080-487CLE- | ONE LITES | NARROW FULL LITE | 8/0 | SMOOTH | | | | | BOTH | BOTH | | |
| 53 | DRG0080-487CLE- | ONE LITES | NARROW FULL LITE | 8/0 | WOODGRAIN | | | | | HVHZ | | | |
| 53 | DRS2980-CLE- | ONE LITES | 3/4 LITE OVER 1 PANEL | 8/0 | SMOOTH | | | | | | | WBD | BOTH |
| 53 | DRG2980-CLE- | ONE LITES | 3/4 LITE OVER 1 PANEL | 8/0 | WOODGRAIN | | | | | | | WBD | WBD |
| 53 | DRS4180-CLE- | ONE LITES | 1/2 LITE OVER 2 PANELS | 8/0 | SMOOTH | | | | | | | WBD | WBD |
| 53 | DRG4180-CLE- | ONE LITES | 1/2 LITE OVER 2 PANELS | 8/0 | WOODGRAIN | | | | | | | | WBD |
| 52 | DRS3F80-CLE- | ONE LITES | 1/4 LITE OVER 2 PANELS | 8/0 | SMOOTH | | | | | | | | WBD |
| 52 | DRF3F80-CLE- | ONE LITES | 1/4 LITE OVER 2 PANELS | 8/0 | FIRGRAIN | | | | | | | | WBD |
| 53 | SL50080-CLE- | ONE LITES | FULL LITE | 8/0 | SMOOTH | BOTH | BOTH | | | | | | |
| 53 | SLG0080-CLE- | ONE LITES | FULL LITE | 8/0 | WOODGRAIN | BOTH | BOTH | | | | | | |
| 54 | DRS00-SGSG- | TURTLE GLASS | FULL LITE | 6/8 | SMOOTH | | | | | BOTH | BOTH | BOTH | BOTH |
| 54 | DRG00-SGSG- | TURTLE GLASS | FULL LITE | 6/8 | WOODGRAIN | | | | | BOTH | BOTH | BOTH | BOTH |
| 54 | DRS40-SGSG- | TURTLE GLASS | 1/2 LITE OVER 2 PANELS | 6/8 | SMOOTH | | | | | | BOTH | BOTH | |
| 54 | DRG40-SGSG- | TURTLE GLASS | 1/2 LITE OVER 2 PANELS | 6/8 | WOODGRAIN | | | | | | WBD | | BOTH |
| 54 | SL500-SGSG- | TURTLE GLASS | FULL LITE | 6/8 | SMOOTH | BOTH | BOTH | | | | | | |
| 54 | SLG00-SGSG- | TURTLE GLASS | FULL LITE | 6/8 | WOODGRAIN | BOTH | BOTH | | | | | | |
| 54 | DRS0080-SGSG- | TURTLE GLASS | FULL LITE | 8/0 | SMOOTH | | | | | BOTH | BOTH | BOTH | BOTH |
| 54 | DRG0080-SGSG- | TURTLE GLASS | FULL LITE | 8/0 | WOODGRAIN | | | | | HVHZ | BOTH | HVHZ | BOTH |
| 54 | SL50080-SGSG- | TURTLE GLASS | FULL LITE | 8/0 | SMOOTH | BOTH | BOTH | | | | | | |
| 54 | SLG0080-SGSG- | TURTLE GLASS | FULL LITE | 8/0 | WOODGRAIN | BOTH | BOTH | | | | | | |
| 55 | DRS00-WIND- | VENTILATING DOORS | FULL LITE | 6/8 | SMOOTH | | | | | | BOTH | BOTH | BOTH |
| 55 | DRG00-WIND- | VENTILATING DOORS | FULL LITE | 6/8 | WOODGRAIN | | | | | | BOTH | BOTH | BOTH |
| 55 | DRS00-WINDHL- | VENTILATING DOORS | 1/2 LITE | 6/8 | SMOOTH | | | | | BOTH | BOTH | BOTH | BOTH |
| 55 | DRG00-WINDHL- | VENTILATING DOORS | 1/2 LITE | 6/8 | WOODGRAIN | | | | | BOTH | BOTH | BOTH | BOTH |
| 55 | DRS40-WIND- | VENTILATING DOORS | 1/2 LITE OVER 2 PANELS | 6/8 | SMOOTH | | | | | | BOTH | BOTH | |
| 55 | DRG40-WIND- | VENTILATING DOORS | 1/2 LITE OVER 2 PANELS | 6/8 | WOODGRAIN | | | | | | WBD | | BOTH |
| 55 | DRS2980-WIND- | VENTILATING DOORS | 3/4 LITE OVER 1 PANEL | 8/0 | SMOOTH | | | | | | | | HVHZ |
| 55 | DRG2980-WIND- | VENTILATING DOORS | 3/4 LITE OVER 1 PANEL | 8/0 | WOODGRAIN | | | | | | | | |

AVAILABILITY GUIDE

| PG# | UNIT CODE PREFIX | DESIGN | BUILD | UNIT HEIGHT | SKIN TYPE | 1/0 | 1/2 | 2/0-S 4/0-D | 2/4-S 4/8-D | 2/6-S 5/0-D | 2/8-S 5/4-D | 2/10-S 5/8-D | 3/0-S 6/0-D |
|-----|------------------|--------------------|-----------------------------|-------------|-----------|-----|-----|----------------|----------------|----------------|----------------|-----------------|----------------|
| 57 | DRS00-RBL-P2L- | INSULATED PET DOOR | 1/2 BLIND LITE OVER 1 PANEL | 6/8 | SMOOTH | | | | | | | | WBD |
| 57 | DRS00-GBG9L-P2L- | INSULATED PET DOOR | 1/2 GBG LITE OVER 1 PANEL | 6/8 | SMOOTH | | | | | | | | WBD |
| 57 | DRS00-CLE-P2L- | INSULATED PET DOOR | 1/2 LITE OVER 1 PANEL | 6/8 | SMOOTH | | | | | | | | WBD |
| 59 | DRA2B- | RUSTIC COLLECTION | 2 PANELS | 6/8 | WOODGRAIN | | | | | | | | HVHZ |
| 59 | DRA2A- | RUSTIC COLLECTION | 2 PANELS PLANK ARCH PANEL | 6/8 | WOODGRAIN | | | | | | | | BOTH |
| 59 | DRA2D- | RUSTIC COLLECTION | 2 PANELS ARCH PANEL | 6/8 | WOODGRAIN | | | | | | | | HVHZ |
| 59 | DRA2A80- | RUSTIC COLLECTION | 2 PANELS PLANK ARCH PANEL | 8/0 | WOODGRAIN | | | | | | | | BOTH |
| 59 | DRA2P80- | RUSTIC COLLECTION | 2 PANELS PLANK | 8/0 | WOODGRAIN | | | | | | | | WBD |
| 60 | DMT51- | MODERN COLLECTION | MODERN MILAN | 6/8 | TEAKGRAIN | | | | | | | | WBD |
| 60 | DMG51- | MODERN COLLECTION | MODERN NAPOLI | 6/8 | WOODGRAIN | | | | | | | | HVHZ |
| 60 | DMG46- | MODERN COLLECTION | MODERN SOUTH BEACH | 6/8 | WOODGRAIN | | | | | | | | HVHZ |
| 60 | DMG5180- | MODERN COLLECTION | MODERN NAPOLI | 8/0 | WOODGRAIN | | | | | | | | HVHZ |
| 60 | DMG4680- | MODERN COLLECTION | MODERN SOUTH BEACH | 8/0 | WOODGRAIN | | | | | | | | HVHZ |
| 61 | DRS1K- | SHAKER COLLECTION | 1 PANEL | 6/8 | SMOOTH | | | | | | | WBD | WBD |
| 61 | DRS2K- | SHAKER COLLECTION | 2 PANELS | 6/8 | SMOOTH | | | | | | | WBD | WBD |
| 61 | DRS3J- | SHAKER COLLECTION | 3 HORIZONTAL PANELS | 6/8 | SMOOTH | | | | | | | | WBD |
| 61 | DRS3F- | SHAKER COLLECTION | 3 PANELS | 6/8 | SMOOTH | | | | | | | WBD | WBD |
| 61 | DRF3F- | SHAKER COLLECTION | 3 PANELS | 6/8 | FIRGRAIN | | | | | | | | WBD |
| 61 | DRS50- | SHAKER COLLECTION | 5 PANELS | 6/8 | SMOOTH | | | | | | | WBD | WBD |
| 61 | DRS2K80- | SHAKER COLLECTION | 2 PANELS | 8/0 | SMOOTH | | | | | | | | WBD |
| 61 | DRS3F80- | SHAKER COLLECTION | 3 PANELS | 8/0 | SMOOTH | | | | | | | | WBD |
| 61 | DRF3F80- | SHAKER COLLECTION | 3 PANELS | 8/0 | FIRGRAIN | | | | | | | | WBD |
| 62 | DRG00- | WOODGRAIN TEXTURED | FLUSH | 6/8 | WOODGRAIN | | | | | | BOTH | BOTH | BOTH |
| 62 | DRG29- | WOODGRAIN TEXTURED | 3/4 2 PANELS | 6/8 | WOODGRAIN | | | | | | | | WBD |
| 62 | DRG49- | WOODGRAIN TEXTURED | 3/4 4 PANELS | 6/8 | WOODGRAIN | | | | | | | WBD | WBD |
| 62 | DRG6- | WOODGRAIN TEXTURED | 6 PANELS | 6/8 | WOODGRAIN | | | | | | WBD | BOTH | BOTH |
| 62 | DRG6C- | WOODGRAIN TEXTURED | CRAFTSMAN 6 PANELS | 6/8 | WOODGRAIN | | | | | | | | WBD |
| 63 | DRG0080- | WOODGRAIN TEXTURED | FLUSH | 8/0 | WOODGRAIN | | | | | | HVHZ | HVHZ | BOTH |
| 63 | DRG2980- | WOODGRAIN TEXTURED | 3/4 2 PANELS | 8/0 | WOODGRAIN | | | | | | | WBD | WBD |
| 63 | DRG3080- | WOODGRAIN TEXTURED | 3/4 3 PANELS | 8/0 | WOODGRAIN | | | | | | | | WBD |
| 63 | DRG4180- | WOODGRAIN TEXTURED | TRUE 4 PANELS | 8/0 | WOODGRAIN | | | | | | | | WBD |
| 63 | DRG6080- | WOODGRAIN TEXTURED | 6 PANELS | 8/0 | WOODGRAIN | | | | | | | WBD | WBD |
| 63 | DRG9180- | WOODGRAIN TEXTURED | 9 PANELS | 8/0 | WOODGRAIN | | | | | | | | WBD |
| 64 | DRS00- | SMOOTH SKIN | FLUSH | 6/8 | SMOOTH | | | | | | | BOTH | BOTH |
| 64 | DRS22- | SMOOTH SKIN | ADA 2 PANELS | 6/8 | SMOOTH | | | | | | | BOTH | BOTH |
| 64 | DRS2G- | SMOOTH SKIN | 2 PANELS PLANK ARCH PANEL | 6/8 | SMOOTH | | | | | | | WBD | BOTH |
| 64 | DRS2D- | SMOOTH SKIN | 2 PANELS ARCH PANEL | 6/8 | SMOOTH | | | | | | | WBD | BOTH |
| 64 | DRS29- | SMOOTH SKIN | 3/4 2 PANELS | 6/8 | SMOOTH | | | | | | | WBD | BOTH |
| 64 | DRS3E- | SMOOTH SKIN | 3/4 3 PANELS ELITE | 6/8 | SMOOTH | | | | | | | | WBD |
| 65 | DRS49- | SMOOTH SKIN | 3/4 4 PANELS | 6/8 | SMOOTH | | | | | | | WBD | WBD |
| 65 | DRS41- | SMOOTH SKIN | TRUE 4 PANELS | 6/8 | SMOOTH | | | | | | | BOTH | BOTH |
| 65 | DRS6- | SMOOTH SKIN | 6 PANELS | 6/8 | SMOOTH | | | | | | | BOTH | BOTH |
| 65 | DRS6C- | SMOOTH SKIN | CRAFTSMAN 6 PANELS | 6/8 | SMOOTH | | | | | | | | WBD |
| 65 | DRS80- | SMOOTH SKIN | 8 PANELS CENTER ARCH | 6/8 | SMOOTH | | | | | | | | WBD |
| 65 | DRS90- | SMOOTH SKIN | 9 PANELS | 6/8 | SMOOTH | | | | | | | | WBD |
| 66 | DRS0070- | SMOOTH SKIN | FLUSH | 7/0 | SMOOTH | | | | | | | WBD | BOTH |
| 66 | DRS6170- | SMOOTH SKIN | 6 PANELS | 7/0 | SMOOTH | | | | | | | | WBD |
| 67 | DRS0080- | SMOOTH SKIN | FLUSH | 8/0 | SMOOTH | | | | | | | BOTH | BOTH |
| 67 | DRS2280- | SMOOTH SKIN | ADA 2 PANELS | 8/0 | SMOOTH | | | | | | | WBD | BOTH |
| 67 | DRS2G80- | SMOOTH SKIN | 2 PANELS PLANK ARCH PANEL | 8/0 | SMOOTH | | | | | | | | BOTH |
| 67 | DRS2D80- | SMOOTH SKIN | 2 PANELS ARCH PANEL | 8/0 | SMOOTH | | | | | | | WBD | WBD |
| 67 | DRS2980- | SMOOTH SKIN | 3/4 2 PANELS | 8/0 | SMOOTH | | | | | | | WBD | BOTH |
| 67 | DRS4180- | SMOOTH SKIN | TRUE 4 PANELS | 8/0 | SMOOTH | | | | | | | WBD | WBD |
| 67 | DRS6080- | SMOOTH SKIN | 6 PANELS | 8/0 | SMOOTH | | | | | | | WBD | BOTH |



2023 EXTERIOR IMPACT CATALOG

BHIDoors